

Latest Products from...

Brother Labelling Systems



See page 1023

Dymo Printers & Labels



See page 1019

Marker Pens



See page 1036

Tyco Printers & Labels



See page 1030

Contents	Page
Brady Labelling Systems	1029
Brother Labelling Systems	1023
Cable Marking	1030
Casio Labelling Systems	1031
Dymo Labelling Systems	1019
Label Tags	1036
Marker Pens	1036
Pre Printed/Write-On Labels	1032
Tyco Labelling Systems	1030

Thousands more products from our extended range




Take advantage of Farnell's global network
and access an additional 200,000 products

Products direct from our US warehouse

- ▶ Over 110,000 products with associated technical datasheets
- ▶ No minimum order sizes
- ▶ Delivered in just 3 working days

Over 30,000 MIL SPEC connectors



- ▶ Easily source thousands of high-quality connectors from ITT Cannon and Amphenol
- ▶ Uniquely assembled and delivered in just 5 working days
- ▶ Full attribute data and technical datasheets

If you design in these brands, we've got it covered!

- ▶ Additional products from high performance analog, logic, microcontroller and DSP components to capacitors, resistors, filters and inductors - browse the ranges online
- ▶ All available on an accurate manufacturer lead-time



We've got products covered;
visit **www.farnell.com** for fast, efficient
ordering from just one source.

A Premier Farnell Company



Dymo Labelling Systems

LabelManager 120P Label Printer

DYMO



- Utilises 2 Tape widths (D1 tape) - 9 & 12mm
- Easy navigation from start to print
- Quick access buttons to symbols and diacriticals (e.g. é, à, ç,...)
- Last label Memory
- Auto power-off to extend battery life
- The graphical display shows exactly how your label will print
- Smart buttons for the most popular features people use and want: font size, bold, vertical and boxed text

505088

Mfrs. List No.	Region	Order Code	Price Each 1+
S0784590	Southern Europe	156-3764	31.00
S0784600	Northern Europe	156-3765	31.00
S0784610	Eastern Europe	156-3766	31.00

LabelManager 210D Label Printer

DYMO



- Utilises 3 Tape widths (D1 tape) - 6, 9 & 12mm
- Easy navigation from start to print
- Prints 1 or 2 lines per label (on 9 mm)
- Quick access buttons to symbols and diacriticals (e.g. é, à, ç,...)
- Auto power-off to extend battery life or adapter as an accessory
- 6 font sizes, 7 styles, 8 different boxes to customize your label
- Stores up to 9 labels and offers the possibility to insert saved text

505109

Mfrs. List No.	Region	Keyboard Layout	Order Code	Price Each 1+
S0784430	Southern Europe, Netherland, Turkey	QWERTY	156-3767	40.96
S0784440	United Kingdom	QWERTY	156-3768	40.96
S0815540	Scandinavia	QWERTY	156-3769	40.96
S0784450	Eastern Europe	QWERTY	156-3770	40.96
S0784460	France/Belgium	AZERTY	156-3771	40.96

LabelManager 220P Label Printer

DYMO



- Utilises 3 Tape widths (D1 tape) - 6, 9 & 12mm
- Easy navigation from start to print
- Prints 1 or 2 lines per label (on 9 mm)
- Easy text entry by using your thumbs
- Quick access buttons to symbols and diacriticals (e.g. é, à, ç,...)
- Auto power-off to extend battery life or adapter as an accessory
- 6 font sizes, 7 styles, 8 different boxes to customize your label
- Stores up to 9 labels and offers the possibility to insert saved text

505113

Mfrs. List No.	Region	Keyboard Layout	Order Code	Price Each 1+
S0784510	Southern Europe, Netherland, Turkey	QWERTY	156-3772	41.39
S0784520	United Kingdom	QWERTY	156-3773	41.39
S0815550	Scandinavia	QWERTY	156-3775	41.39
S0784530	Eastern Europe	QWERTY	156-3776	41.39
S0784540	France/Belgium	AZERTY	156-3777	41.39

700 products added online every week



See our pick of the hottest products and latest technologies in 'What's New?' at www.farnell.co.uk

Letra Tag LT-100H Label Printer

DYMO

New



This simple-to-use system allows you to create labels exactly the way you want. It prints on a variety of coloured labels plus adds popular features like multiple font styles, underlining, bolding, text sizing and more. Unlike other label makers, the exclusive graphical display shows exactly how your label will print. This means no more guessing what the labels will look like. What you see is what you get.

Dimensions (HxWxD)	70x95x220mm
Weight	0.28kg
Colour	Blue/Silver

- Compact design for portable and desktop use
- ABC keyboard
- Large 13 character LCD display with print preview feature
- Character entry (RACE) gives easy access to accented characters
- Date/Time function
- Print up to 2 lines
- 9 label memory
- 5 font sizes
- 6 font styles - Normal, Bold, Italic, Outline, Shadow, Vertical
- Box and Underline styles
- Office & fun symbols
- Requires 4 x AA batteries (not included) or optional Dymo power adaptor
- Supplied with 1 x white paper label tape (12mm x 4mm)


505705

Mfrs. List No.	Description	Order Code	1+	5+	10+
S0725580	LetraTag LT-100H	156-6978	26.26	25.20	24.18

LabelMANAGER 350 Label Printer

DYMO

D1



- Large 16 character, 2 line semi-graphical (58x24mm) display
- QWERTY keyboard
- 11 print styles, 6 font types, incremental numbering and multiple copies
- Type Styles - Normal, bold, italic, outline, shadow, mirror, 3D & strikethrough
- 6 box styles, underline & 8 background shades
- Print preview
- Vertical & horizontal printing

6-19mm

- 3 type sizes, 13.5mm (max) character print height
- Prints up to 3 lines
- Memory - Last 10 printed labels, 10 label designs & 10 formats
- Utilises 4 Tape widths (D1 tapes) - 6, 9, 12 & 19mm
- Power supply - 6 x AA batteries (not supplied) or Dymo D1 mains adaptor (optional)

Dimensions (HxWxD)	85x215x245mm	Colour	Blue/Silver
Weight	0.85kg		

338503.344670

Description	Mfrs. List No.	Order Code	Price Each 1+
Label Manager 350	18137	506-1283	124.73
Mains Adaptor (UK)	40075	358-4732	21.49

LabelMANAGER 450 Label Printer

DYMO

D1



- Clear 16 character 2 line semi-graphical display (58x24mm)
- Stand alone or PC linked with USB connectivity
- Quick and easy to use software supplied on CD with many time-saving short cut keys
- At-a-glance user guide inside machine - Ideal for shared office use
- QWERTY keyboard
- 15 type sizes, 13.5mm (max) character height

6-24mm

- 7 print styles in 6 sizes and 5 fonts
- Print preview
- Type Styles - Bold, italic, narrow, normal, outline, shadow, mirror & raised
- 6 box styles/shading/underline and 7 background shades/background print
- Prints barcodes
- Vertical & horizontal printing
- Multiple copies and fixed width labels
- Incremental numbering
- Prints up to 5 lines of text
- Prints logos and graphics through PC connection
- Memory - Last 15 printed labels, 10 label designs & 10 label formats
- Utilises 5 Tape widths (D1 tapes) - 6, 9, 12, 19 & 24mm



Dymo Labelling Systems - continued

LabelMANAGER 450 Label Printer - continued

- Power supply - 6 x AA batteries (not supplied) or optional AC adaptor
- PC connection requires Windows 98/ME/2000/XP and USB port

Dimensions (HxWxD) 85x215x245mm
Weight 850g

387146.410722

Description	Mfrs. List No.	Order Code	Price Each
Label Manager 450	18125	881-8584	157.07
Mains Adaptor (UK)	40075	358-4732	21.49

LabelPOINT 250 Label Printer



- Clear 13 character semi-graphical display (77x16mm)
- ABC keyboard
- 2 type sizes, 5.5mm (max) character height
- Type Styles - Normal, bold, italic, outline, shadow, mirror, vertical & strikethrough
- 5 box styles/underline
- Vertical & horizontal printing
- Incremental numbering
- Multiple copies
- Print preview
- Prints up to 2 lines
- **Memory** - Last 9 printed labels, 9 label designs & 9 label formats
- Utilises 3 Tape widths (D1 tapes) - **6, 9 & 12mm**

D1
6-12mm

- Power supply - 6 x AA batteries (not supplied) or optional AC adaptor

Dimensions (HxWxD) 52x112x187mm
Weight 300g

387139.410720

Description	Mfrs. List No.	Order Code	Price Each
Label Point 250	22058	881-8606	49.22
Mains Adaptor (UK)	40075	358-4732	21.49

LabelPOINT 350 Label Printer



- Clear 16 character 2 line semi-graphical display (100x16mm)
- ABC keyboard
- 6 type sizes, 13.5mm (max) character height
- Type Styles - Normal, bold, italic, outline, shadow, mirror, vertical & strikethrough
- 6 box styles/underline and 7 background shades
- Prints barcodes
- Vertical & horizontal printing
- Multiple copies and fixed width labels
- Incremental numbering
- Prints up to 5 lines
- **Memory** - Last 15 printed labels, 10 label designs & 10 label formats
- Utilises 4 Tape widths (D1 tapes) - **6, 9, 12 & 19mm**
- Power supply - 6 x AA batteries (not supplied) or optional AC adaptor
- PC connection requires Windows 98SE/ME/2000/XP and USB port

D1
6-19mm

Dimensions (HxWxD) 67x120x210mm
Weight 520g

387142.410721

Description	Mfrs. List No.	Order Code	Price Each
Label Point 350	22065	881-8614	75.69
Mains Adaptor (UK)	40075	358-4732	21.49

LabelWriters

DYMO LabelWriter Series 400



Features: LW400

- Prints automatically out of MS Word, Outlook, Palm
- Database add in eg. for MS Access, MS Excel
- 40 Labels per minute print speed
- 300 dpi for super quality labels
- Up to 60mm wide labels
- Automatic back-up of first label
- USB connection
- PC and Mac compatible



Features: LW 400Turbo

- Identical with LW400
- High speed: 55 labels per minute
- 300 dpi for super quality labels
- Up to 60mm wide labels
- Automatic back-up of first label
- USB connection
- PC and Mac compatible



Features: LW 400 Twin Turbo

- Total capacity of two (different) label rolls
- Automatic switch between left and right side at end of label roll
- 55 labels per minute print speed
- 300 dpi for super quality labels
- Up to 60mm wide labels
- Automatic back-up of first label
- USB connection
- PC and Mac compatible



Features: LW 400 Duo

- All the features and speed of the LW400 Turbo
- Ideally suited for address labels and labelling envelopes, parcels, CDs/DVDs, etc.
- Paper labels (LW) and tape cassettes (LM)

Top Section:

- 55 labels per minute print speed
- 300 dpi for super quality labels
- Up to 60mm wide labels
- Automatic back-up of first label

Bottom Section:

- Enables to print continuous tape
- Utilises 5 Tape widths (D1 tapes) - **6, 9, 12, 19 & 24mm**

- Automatic cutter
- Easy load tape drawer, with automatic door slide

General:

- USB connection
- PC and Mac compatible

Model	LW 400	LW 400 Turbo	LW 400 Twin Turbo	LW 400 Duo
	34627	34635	34651	34643
Dims. (mm)	127 x 185 x 133	127 x 185 x 133	185 x 210 x 133	210 x 140 x 185
Colour	Blue, Metal	Silver, Metal	Silver, Metal	Silver, Metal

414984.439246

Mfrs. List No.	Description	Order Code	1+	5+	10+
34627	LW 400 UK-Version	110-9641	76.26	74.26	72.35
34635	LW 400 Turbo UK-Version	110-9642	105.00	102.90	100.83
34651	LW 400 Twin Turbo UK-Version	110-9643	139.29	135.62	132.14
34643	LW 400 Duo UK-Version	110-9644	153.26	149.23	145.40

LabelWriter® Accessories

DYMO®



- Dymo LabelWriter® Printers are the fast and easy way to print labels in seconds from your PC
- Ideal for addressing envelopes and packages, shipping label, diskettes, name badges, files and much more
- A wide variety of available labels to match most labelling needs

Note: Please check that the model of LabelWriter you require labels for is able to print the particular size of label. Not all the models in the range are able to print all the different label sizes.

Code	Description	Colour	Type	No. Labels	Rolls/Box
11352	Return Address International 54mm x 25mm	White	Paper	500	1 500
11353	Multipurpose Labels (2 Up) 24mm x 12mm	White	Paper	1000	1 1000
11354	Multipurpose Labels 32mm x 57mm	White	Paper	1000	1 1000
11355	Multipurpose Labels 51mm x 19mm	White	Paper	500	1 500
11356	Name Badge 89mm x 41mm	White	Paper	300	1 300
14681	CD Label 57mm Diameter	White	Paper	160	1 160
14682	CD Label Applicator				
99010	Standard Address Labels 28mm x 89mm	White	Paper	260	2 130
	Assorted Colour Labels 28mm x 89mm	Yellow / Pink / Blue / Green	Paper	520	4 130
99011					
99012	Large Address Labels 36mm x 89mm	White	Paper	520	2 260

99013	Large Address Labels 36mm x 89mm	Clear	Plastic	260	1	260
99014	Shipping Labels 54mm x 101mm	White	Paper	220	1	220
99015	Disk/Name Badge Labels 54mm x 70mm	White	Paper	320	1	320
99016	Video Top/Spine labels 46mm x 78mm	White	Paper	300	2	150
99017	Suspension File Labels 56mm x 12mm	White	Paper	220	1	220
99018	LAF Labels 190mm x 38mm	White	Paper	110	1	110
99019	LAF Labels 59mm x 190mm	White	Paper	110	1	110

206837

Mftrs. List No.	Order Code	1+	5+	10+
11352	783-6724	12.39	11.99	11.62
11353	783-6732	9.23	8.93	8.62
11354	783-6740	17.99	17.44	17.27
11355	783-6759	9.49	9.22	9.11
11356	783-6767	19.47	18.88	18.69
14681	783-6708	12.34	11.98	11.85
14682	783-6813	6.20	6.02	5.83
99010	154-702	9.95	9.75	8.97
99011	154-714	26.99	26.19	25.91
99012	154-726	18.80	18.43	17.00
99013	154-738	21.84	20.76	19.73
99014	154-740	17.50	16.63	15.83
99015	154-751	18.58	17.65	16.79
99016	154-763	21.08	20.66	19.02
99017	154-775	8.75	8.31	7.90
99018	154-787	18.85	17.90	17.03
99019	154-799	17.99	17.44	17.27

D1 Labeling Tapes



● Tape Length: 7m

Character Colour	Backing Colour	Mftrs. List No.	Order Code	Character Colour	Backing Colour	Mftrs. List No.	Order Code
6mm Tapes							
Black	Clear	43610	666-968	Black	Blue	45016	216-252
Black	White	43613	666-970	Black	Yellow	45017	216-264
Black	Yellow	43618	666-981	Black	Green	45019	216-276
9mm Tapes							
Black	Clear	40910	666-993	Black	White	45020	216-288
Black	White	40913	667-006	Black	Black	45021	729-644
19mm Tapes							
Blue	White	40914	667-018	Black	Clear	45800	729-656
Red	White	40915	667-020	Black	White	45803	729-530
Black	Blue	40916	667-031	Black	White	45804	729-565
Black	Red	40917	667-043	Black	White	45805	729-577
Black	Yellow	40918	667-055	Black	Blue	45806	729-589
Black	Green	40919	667-067	Black	Red	45807	729-590
12mm Tapes							
Black	Clear	45010	216-197	Black	Yellow	45808	729-607
Blue	Clear	45011	216-203	Black	Clear	45810	729-619
Red	Clear	45012	216-215	Black	Black	45811	729-620
24mm Tapes							
Black	White	45013	216-227	Black	Clear	53710	729-632
Blue	White	45014	216-239	Black	White	53713	434-1594
Red	White	45015	216-240	Black	Yellow	53718	434-1600

206727

Tape Width	Order Code	1+	5+	10+	20+
6mm	All Order Codes	10.44	9.98	9.70	8.41
9mm	All Order Codes	11.87	10.56	10.35	9.44
12mm	All Order Codes	12.64	12.22	11.91	10.86
19mm	All Order Codes	10.44	10.28	10.14	10.01
24mm	All Order Codes	15.44	14.83	14.52	14.22

D2 Labelling Tapes



Character Ribbon Cartridge

	19mm		32mm	
Mftrs. List No.	Order Code	Mftrs. List No.	Order Code	
Black	60601	450-716	63201	957-630
Red	60603	450-728		
Blue	60604	450-730	63204	957-653

Background Colour Cassette Tape

	6mm		12mm		19mm	
Mftrs. List No.	Order Code	Mftrs. List No.	Order Code	Mftrs. List No.	Order Code	
Clear	60610	450-741	61210	450-807	61910	450-868
white	60611	450-753	61211	450-819	61911	450-870
Red	-	-	61212	450-820	-	-
Blue	-	-	-	-	61913	450-893
white	60614	450-789	61214	450-844	61914	450-900
Green	-	-	61215	450-856	61915	450-911

206811

Size	Order Code	1+	3+	6+	12+
Character Ribbon Cartridges					
19mm	All Order Codes	13.90	13.35	13.06	12.78
32mm	All Order Codes	17.86	17.16	16.79	16.43
		1+	3+	6+	12+
Background Colour Cassette Tape					
6mm	All Order Codes	10.29	9.88	9.68	9.49
12mm	All Order Codes	10.81	10.37	10.17	9.96
19mm	All Order Codes	12.87	12.35	12.10	11.87
24mm	All Order Codes	9.70	9.36	9.02	8.63
32mm	All Order Codes	16.80	16.13	15.80	15.48

LetraTag Paper Tape



- Economical
- Indoor use
- Tape width of 12mm
- Tape reel length is 4m



This 12mm non-glossy tape is easy to peel and cut, with quick-change cassettes for "on-the-fly" labelling. Think of LetraTAG paper tape as the economical solution for labelling almost anything, anywhere in your home.

517453

Colour	Order Code	1+	5+	10+
Black on White	162-5566	3.77	3.66	3.55

LetraTag Plastic Tape



- Durable
- Wipeable
- Indoor use
- Tape width of 12mm
- All tape reel lengths are 4m



517458

Colour	Order Code	1+	5+	10+
Black on White	162-5567	4.64	4.50	4.36
Black on Clear	162-5568	4.64	4.50	4.36
Black on Yellow	162-5569	4.64	4.50	4.36
Black on Red	162-5570	4.64	4.50	4.36
Black on Green	162-5571	4.64	4.50	4.36
Black on Blue	162-5572	4.64	4.50	4.36

LetraTag Iron-on Tape



No more sewing labels into clothing, towels or backpacks. Simply print the label, then iron it, right onto the fabric.

- Machine washable
- Tape width of 12mm
- Tape reel length is 4m



Dymo Labelling Systems - continued

LetraTag Iron-on Tape - continued

Colour	Order Code	1+	5+	10+
Black on White	162-5574	5.83	5.66	5.49

517466

LetraTAG Metallic tape



- Decorative
- Long lasting
- Indoor use
- Tape width of 12mm
- Tape reel length is 4m

These 12mm glossy tapes are decorative and long-lasting. The perfect solution to label anything you want at home.

DYMO

New

Colour	Order Code	1+	5+	10+
Black on Green	162-5575	5.51	5.34	5.17
Black on Silver	162-5576	5.51	5.34	5.17

517470

RhinoPRO 5000 Industrial Label Printer



The RhinoPRO 5000 is a budget friendly yet professional hand-held label printer ideal to be used on-site. A kit is also available (RhinoPRO 5000 Kit) which includes everything you need to be able to print labels.

Wire/cable marking: A made-to-measure wire/cable marker by entering the diameter

Patchpanel marking: Enter the port distance of your patchpanel and make one label to cover all ports. Text is evenly spaced between the connection points

Module marking: One label that fits exactly with the total number of mod-

DYMO



ular components on a DIN-rail

Fixed length: A label with the correct size that fits exactly onto an outlet or electrical component

- Serialisation and 5 font sizes
- Includes commonly used electrical and datacomm symbols: ohm, ground, phone, data, fax
- Prints Bar Code 39 and Code 128
- 8 memory locations
- Easy to adjust font sizes: XS, S, M, L, XL
- Selection of 16 languages: international characters included
- Prints on 6, 9, 12 and 19mm RhinoPRO industrial tapes ID1
- Works with 6 AA-batteries (not included), 230V-adaptor (optional, included in RhinoPRO 5000 Kit) or with a rechargeable battery pack (optional)

RhinoPRO 5000 Kit (Contents):

RhinoPRO 5000 printer and protective bumper, 1 x 19mm flexible nylon tape, AC Adaptor, 6 x AA batteries, user manual

FOR ID1RhinoPRO INDUSTRIAL TAPES - SEE PAGE 1023

Dimensions (HxWxD)	212x114x70mm
Weight	519g
Colour	Yellow

387098.410719

Description	Mftrs. List No.	Order Code	Price Each
RhinoPRO 5000 Label Printer	16903	881-8533	96.71
RhinoPRO 5000 Kit	17845	881-8541	108.36
Accessories			
Mains Adaptor (Euro)	40076	359-4830	16.45
Hard Carrying Case	17231	881-8550	16.10
Soft Carrying Case	17234	881-8568	7.20

Troubleshooting tips



Chat live online to one of our technical engineers at www.farnell.co.uk

RHINO 6000 Professional Label Printer

RHINO 6000 Hard Case Kit

DYMO



- Unique 'HOT KEYS' for wire & cable flags & wraps, patch panels, modules, terminal blocks, ...eliminate guesswork, complicated menus and offer fast and easy formatting of commonly used label types.
- Over 250 easy-to-find, pre-programmed industry terms and symbols for saving time and standardising labelling jobs.
- 1 MB of memory to store 1000+ labels, including industry terms, graphics, logos and symbols, for on-demand printing at job-sites.
- Additional features include a large graphic display with backlight, one-touch powered



cutter and cassette ejection system, automatic cassette recognition and quick charging lithium-ion rechargeable battery pack.

- Uses thermal transfer print technology - no ink cartridges
- Accepts 6, 9, 12, 19 and 24mm RHINO labels
- Includes one 24mm white Flexible Nylon label cartridge, AC adaptor, and lithium-ion rechargeable battery pack.
- Works with RHINO CONNECT™ Software (sold separately or is included in Hard Case Kit)
- Includes rugged hard carry case, RHINO 6000 printer with integrated impact bumpers, RHINO CONNECT Software, one 24mm white Flexible Nylon label cartridge, one 9mm white Vinyl label cartridge, lithium-ion rechargeable battery pack, AC adaptor and USB cable.
- Use RHINO CONNECT™ Software to:
- Upload / download label files for in-the field and on-demand printing.
- Insert customised graphics, logos, symbols and industry terms.
- Import data from any Windows®-based programme.
- Create labels using the integrated step-by-step wizard.
- Print labels directly from RHINO CONNECT™ Software.

RHINO Labels

- Use with the RHINO 5000 and 6000 label printers
- Thermal transfer print technology produces labels that are smear-proof and resistant to chemicals, solvents, grease, heat, moisture and other harsh elements
- Industrial-strength adhesives result in labels that stick and last
- Easy-to-peel, split-back design for easy removal
- New 24mm labels compatible with RHINO6000!

Dimensions (HxWxD)	212x114x70mm	Colour	Yellow
Weight	519g		

495434

Description	Mftrs. List No.	Order Code	Price Each
Rhino 6000 Kit (UK)	S0771940	152-1910●	258.94
Rhino 6000 Kit (WE)	S0771930	152-1909●	258.94

ILP219 Industrial Label Printer Kit

DYMO



The ILP219 is a versatile, **heavy-duty** labelling machine that offers a comprehensive choice of fonts and type styles and is equipped to print the most commonly used electrical/datacom symbols and barcodes. The labelling kit is supplied in a plastic carry/storage case. A full range of industrial ID1 tapes is available. A rechargeable battery pack is available as an optional extra.

- Thermal transfer printing
- Industrial cutter
- Protective bumper
- Mains/Battery operation (AC adaptor supplied)
- Battery life indication
- Easy loaded cassette system
- Automatic power off after 2 minutes

- **Specific label printing modes:**
- Wrap-around labels
- Flag labels
- Terminal block labels
- Patch panel labels
- Component labels (with fixed length)
- Module marking labels
- 4 line printing and serialisation
- Symbol library - Includes commonly used electrical and datacom symbols
- 6 types of barcodes
- 4 preference keys (save your personal settings)
- 8 separate memory locations
- **PC connection** - Import data (ASCII) and graphics onto a **memory card** (supplied)
- Batteries: 6 x AA (not included)

Kit Contents: ILP219 label printer with protective bumper, carrying case, PC connection cable (serial), 64K memory card, AC adaptor, 2 tapes, card loader software, user manual and quick start guide

Colour	Yellow	Weight	0.8kg
Dimensions (HxWxD)	220x115x70mm		

387114.344629

Description	Mfrs. List No.	Order Code	Price Each
ILP219 Label Printer kit	ILP219	881-8517	134.50
Accessories			
Memory Card 64K (EUR)	13296-R1	472-5499	12.01
Mains Adaptor (UK)	40075	358-4732	21.49

ID1 Tapes

For ILP219 and RhinoPRO 5000 Industrial Label Printers

DYMO



A range of permanent industrial labelling tapes. The material and ribbon is combined in one single cassette. A choice of materials makes them suitable for a wide variety of applications.

Clear Polyester Tape 1100CL

Offers a modern and esthetic way of applying labels to more expensive or fancy appliances. The clear labels with the sharp printed black characters which integrate into the structure and shape of the application. Any text is as if it was printed discretely onto the original surface. The adhesive properties of the polyester tapes are excellent: adherence is permanent. Suitable for indoor and outdoor use. The ink is scratch, solvent, oil and UV-resistant.

Applications:

- Outlets, patch panels and face plates

Permanent Polyester Tape M1120 - M1140

This material has been developed for withstanding the most demanding needs in an industrial environment. It combines a very strong adhesive, ideally suited for labelling rough surfaces where the adhesive needs to glide into the irregularities for optimal sticking with a ribbon carefully chosen for excellent printing results. UV, oil, scratch and chemical resistance. Perfect for surfaces requiring outstanding sticking and durability such as highly-textured and powder coated surfaces.

Applications:

- Patch panels, outlet and rack identification
- Maintenance, name and rating plates, product/tool and asset labelling

Flexible Nylon Tape M1300 - M1300YL

A combination of permanent adhesive and a superior flexible nylon material provides a solution for permanent and legible identification for curved and textured surfaces. The permanent solution for **marking cables**.

Applications:

- Cables and wires, components and installation material

Coloured Vinyl Tape M1500

Recognisable from a distance thanks to their strong and deep colours. Vinyl is thin and therefore very flexible. The adhesive properties of the vinyl tapes are excellent: adherence is permanent. Suitable for indoor and outdoor use. The ink is scratch, solvent, oil and UV-resistant.

Applications:

- Machines, equipment, safety and warning instructions
- Patch panels and outlet identification
- Buttons, switches and operator instructions
- Wires, cables, curved and textured surfaces

Heat Shrink Tube M1400

- Non-adhesive permanent polyolefin solution to identify and protect wires and cables at the same time
- Tubing meets MIL-DTL-23053/5 classes 1 & 3
- 3:1 shrink ratio, flame retardant
- Length 1.5m

Note: All the tapes have a font colour of **Black**

387124.344630

Tape Colour	Width	Mfrs. List No.	Order Code	1+	10+	25+
Clear Polyester Tape 7m						
Clear	9mm	18508-R1	735-7699	10.58	10.07	9.31
Permanent Polyester Tape 5.5m						
White	9mm	18766-R1	472-5542	12.13	11.88	11.29
White	12mm	18764-R1	472-5554	12.53	12.13	11.56
White	19mm	18765-R1	472-5566	15.52	15.14	14.80
Metallised	9mm	18760-R1	472-5578	11.80	11.56	10.99
Metallised	12mm	18761-R1	472-5580	12.53	12.13	11.56
Metallised	19mm	18762-R1	472-5591	15.11	14.73	14.40
Flexible Nylon Tape 3.5m						
White	12mm	18758-R1	472-5505	14.15	13.65	12.73
White	19mm	18759-R1	472-5517	15.13	14.66	14.09
Yellow	19mm	18757-R1	472-5530	15.13	14.66	14.09

Tape Colour	Width	Mfrs. List No.	Order Code	1+	10+	25+
Coloured Vinyl Tape 5.5m						
Yellow	9mm	18431	735-7540	9.78	9.38	9.16
Yellow	12mm	18432	735-7559	10.49	10.07	9.86
Yellow	19mm	18433	735-7567	11.84	11.34	11.11
Orange	9mm	18434	735-7575	9.78	9.38	9.15
Orange	12mm	18435	735-7583	10.29	9.88	9.68
Orange	19mm	18436	735-7591	11.84	11.34	11.11
Red	9mm	18437	735-7605	9.78	9.38	9.15
Red	12mm	18438	735-7613	10.29	9.88	9.68
Red	19mm	18439	735-7621	11.84	11.34	11.11
Green	9mm	18440	735-7630	9.78	9.38	9.15
Green	12mm	18441	735-7648	10.29	9.88	9.68
Green	19mm	18442	735-7656	11.84	11.34	11.11
White	9mm	18443	735-7664	9.78	9.38	9.15
White	12mm	18444	735-7672	10.49	10.07	9.87
White	19mm	18445	735-7680	11.84	11.34	11.11
Heat Shrink Tube 1.5m						
White	6mm	18051	815-3175	16.82	16.18	15.60
White	9mm	18053	815-3191	18.24	17.40	16.50
White	12mm	18055	815-3213	19.51	18.61	17.28
White	19mm	18057	815-3230	24.60	23.47	21.80
Yellow	6mm	18052	815-3183	18.34	17.12	16.06
Yellow	9mm	18054	815-3205	18.24	17.40	16.29
Yellow	12mm	18056	815-3221	19.51	18.61	17.28
Yellow	19mm	18058	815-3248	24.60	23.47	21.80

Tapes for Letra Tag XM, XR and XQ50

DYMO

338417.344662

Tapes for Letra Tag XM, XR and XQ50	Mfrs. List No.	Order Code	1+	3+
Colour/Description	Material			
Starter Pack (x3)		91241 434-1624	9.26	8.81
Pearl White	Plastic	91221 304-3071	6.03	5.44
Metallic Silver	Metallic	91228 304-3149	8.08	7.78
Pearl White	Paper	91220 304-3060	8.08	7.35
Hyper Yellow	Plastic	91222 304-3083	8.08	7.35
Cosmic Red	Plastic	91223 304-3095	8.08	7.35
Acid Green	Plastic	91224 304-3101	8.08	7.35
Ultra Blue	Plastic	91225 304-3113	8.08	7.35

Brother Labelling Systems

PT-80 Label Printer

brother



- Lightweight hand-held design
- Easy view 12 character LCD display screen
- 9 type styles and 6 type sizes
- 5 auto formats and 5 framing options
- Prints 1 to 2 lines of crisp text
- Uses 9 and 12mm tape widths
- Select up to 71 symbols
- Supplied with 4m long 9mm tape
- Electronic labeling system
- Up to 7.5 mm per second
- Up to 230 dpi
- Requires 6 x AA batteries (not supplied)
- Dimensions (WxDxH): 173x101x58mm
- Weight: 0.22kg

449521.449514

Description	Order Code	1+	10+
Label Printer	128-5699	24.99	24.24
9mm Tapes			
Black on White	379-9580	8.39	8.14
12mm Tapes			
Black on White	379-9645	8.54	8.21

PT-1010 Label Printer

brother

TZ TAPE
6 - 24mm



An easy-to-use, hand-held labelling machine for the office or home, that produces a wide variety of professional quality labels made to last.

- ABC Keyboard and numeric keypad
- Large 12 character, 1 line LCD screen
- Built-in tape cutter
- 5 print sizes
- 9 print styles

New



Brother Labelling Systems - continued

PT-1010 Label Printer - continued

- 5 frame styles
- 83 symbols
- Helsinki font
- Underline and mirror printing
- Print speed of 10mm/sec
- Date & time function
- 180dpi print resolution
- Memory - 9 locations (max. 80 characters each)
- 292 characters
- Multiple copies (1-9)
- Sequential numbering (1-9)
- Label length setting: 30 - 300mm
- Utilises 5 Tape widths (TZ tape) - 6, 9, 12, 18 & 24mm

525815

Mfrs. List No.	Order Code	Price Each
PT1010	166-0905●	35.76

PT-1230PC Label Printer



3.5 - 12mm

New



The PT-1230PC is a sleek and compact machine. It prints labels up to 12mm wide which is perfect for office filing and organising your home. With the new plug and print feature this product requires no software installation. Just highlight your text on your PC and press print.

- Plug & Print feature
- PC connectable
- No software installation required
- 3.5mm, 6mm, 9mm & 12mm labels available
- Tape cutter
- 180dpi print resolution
- Maximum print height 9mm
- 10mm per second print speed
- USB Interface
- Supports all True Type fonts installed in your computer
- 10 Border/Frame styles
- Copy printing up to 200
- Mirror printing

525822

Mfrs. List No.	Order Code	Price Each
PT1230PC	166-0914●	59.60

PT-1260VP Label Printer



6 - 12mm

New



Portable, easy to use and robust, this labeller is perfect for electricians who not only need labels that last, but also require a tough machine that can take the knocks. This entry-level machine is specifically designed for electrician's immediate labelling needs, and is a companion that will stay at your side.

- QWERTY Keyboard
- 8 characters LCD display
- Built-in tape cutter
- Maximum print height: 9mm
- 5 print sizes
- 9 print styles
- 4 frame styles
- 205 characters, accents and symbols
- Over 20 common electrician related symbols
- Double line printing
- Helsinki font
- Print speed of 10mm/sec
- Horizontal, vertical, mirror and underline printing
- Memory - 300 characters
- Multiple copies (1-9)
- Utilises 3 Tape widths (TZ tape) - 6, 9 & 12mm
- Handy carry case and mains adaptor included

525816

Mfrs. List No.	Order Code	Price Each
PT1260VP	166-0906●	71.54

PT-1280VP Label Printer



3.5-12mm

Includes Carry case, mains adaptor (Model G1), user guide, 12mm x 8mm black on white laminated tape (TZ-231) and 3.5mm x 8mm black on white non-laminated tape (TZ-N201)

A desktop labelling machine which is big on features but compact in size. It has an easy to use keyboard and operates using the mains adaptor supplied or via 6 x AAA batteries (not supplied).

- Small and portable design
- Produces durable, laminated labels in seconds
- QWERTY Keyboard
- Double line printing
- Auto numbering
- Vertical printing
- 9 print styles
- 3 print sizes
- 7 border styles
- Mirror & repeat print functions
- Manual tape cutter
- Built-in font (Helsinki)
- Print image (preview)
- Templates - Length auto format - off, VHS spine, mini DV spine, audio tape, CD case spine, file tab, divider tab
- Maximum print height: 9mm
- Print speed of 10mm/sec
- 180dpi print resolution
- 268 characters & 63 symbols
- 15 character x 1 line LCD display screen
- Memory - 80 characters
- Auto power off
- Utilises 4 Tape widths (TZ tape) - 3.5, 6, 9, 12mm
- Powered by 6 x AAA alkaline batteries (not supplied) or AC Adaptor (supplied)

Dimensions (HxWxD) 60x159x150mm
Weight 0.47kg
Colour Black / Silver

419718

Description	Mfrs. List No.	Order Code	1+	3+
Labelling System	PT1280DTZU1	110-2607	49.99	48.49

PT-1280DT Label Printer



3.5 - 12mm

New



The Brother P-touch 1280DT has been specifically designed to accommodate all of your labelling needs. This simple, easy-to-use desktop labelling machine will help you to create clear, professional labels. It sits neatly in the desk organiser provided and is easily accessible whenever you need to label as well as keeping your desk are tidy and clutter free.

- QWERTY Keyboard
- 15 character x 1 line LCD display
- Built-in tape cutter
- Maximum print height: 9mm
- 5 print sizes
- 9 print styles
- 7 framing and fill patterns
- 63 symbols
- 3 x 'favourite label' storage locations
- Double line printing
- Helsinki font
- Print image (preview)
- Templates - Length auto format - off, VHS spine, mini DV spine, audio tape, CD case spine, file tab, divider tab
- Print speed of 10mm/sec
- 180dpi print resolution
- Vertical and mirror printing
- Memory - 268 characters
- Multiple copies (1-9)
- Auto power off
- Utilises 4 Tape widths (TZ tape) - 3.5, 6, 9 & 12mm
- Supplied complete with mains adaptor, 2 x 4 metre tapes, durable plastic carry / storage case

525817

Mfrs. List No.	Order Code	Price Each
PT1280DT	166-0907●	59.61

PT-1830VP Label Printer



3.5-18mm

The PT1830 has a simple to use keyboard for easy operation. This labelling machine benefits from having a large LCD display for easy viewing and editing and allows you to print bespoke labels on demand. It is supplied with a mains adaptor or can be used off site via 6 x AA batteries (not supplied).

- Produces durable, laminated labels in seconds
- QWERTY Keyboard
- Vertical printing
- 9 print styles
- 4 print sizes
- 5 border styles
- 2 print lines
- Manual tape cutter
- 1 font style
- Print speed of 10mm/sec
- 15 character x 1 line LCD display screen
- Memory - 347 characters
- Utilises 5 Tape widths (TZ tape) - 3.5, 6, 9, 12, 18mm
- Powered by 6 x AA alkaline batteries (not supplied) or AC Adaptor (supplied)

Dimensions (HxWxD) 62x222x173mm
Colour Silver

419730

Mfrs. List No.	Order Code	1+	3+
PT1830VPZU1	110-2608	59.99	58.19

PT-2100VP Label Printer


TZ brother
 TAPE

3.5 - 18mm

New

With the PT-2100VP label printer, you can replace all your untidy and difficult-to-read hand-written labels with bright, colour coded labels that are easy-to-read and so durable.

- QWERTY Keyboard
- Large 15.8mm print height
- Fully automatic label cutter
- Print preview on LCD display
- 393 characters and symbols
- 1800 character memory
- 4 different font styles
- 7 print sizes
- 10 different type styles
- 15 Frame styles
- PC interface built-in
- Utilises 5 Tape widths (TZ tape) - 3.5, 6, 9, 12 & 18mm

525818

Mfrs. List No.	Order Code	1+
PT2100VP	166-0908	106.14

PT-2420PC Label Printer


brother
 TAPE

TZ
 TAPE
AL
 TAPE

6-24mm

- Desktop electronic labelling system for PC and Macintosh
- Supplied with instant formatting P-Touch software
- USB connection
- 180 dpi print resolution
- Print speed: 100mm/second
- Up to 18mm print height on 24mm tape width
- Supplied with AC adaptor
- Utilises 5 Tape widths (TZ tapes) 6, 9, 12, 18, & 24mm or 18mm AL paper tape which is 7m in length
- Dimensions (WxDxH): 155x66x123mm

System requirements/Specification:

- IBM Compatible: CD Rom drive operating system, USB interface
- Windows 98, 2000, Me or XP with 20Mb hard disk space and 32Mb memory, or a Macintosh with MAC OS 8.6 or later, 30Mb hard disk space and 24Mb memory

248865

	Order Code	1+	5+
PT-2420PC Label Printer	433-8789	96.22	87.60
24mm AL Paper Tape	433-2519	9.01	8.47

PT-2430PC Label Printer


TZ brother
 TAPE

3.5 - 24mm

New

The PT-2430PC is a sleek and compact machine. It prints labels from 3.5mm to 24mm wide and features an automatic tape cutter. With the new plug and print feature this product requires no software installation. Just highlight your text on your PC and press print.

- Plug & Print feature
- PC connectable
- No software installation required
- 3.5mm, 6mm, 9mm, 12mm, 18mm & 24mm wide labels available
- Automatic tape cutter
- 180dpi print resolution
- Maximum print height 18mm
- 10mm per second print speed
- USB Interface
- Supports all True Type fonts installed in your computer
- 10 Border/Frame styles
- Copy printing up to 200
- Mirror printing

525823

Mfrs. List No.	Order Code	1+
PT2430PC	166-0915	95.37

700 products added online every week



See our pick of the hottest products and latest technologies in 'What's New?' at www.farnell.co.uk

PT-2700 Label Printer

brother
 TAPE


The PT-2700 is a PC compatible plus desktop labelling machine which is ideal for all office labelling requirements. Its features include printing labels which incorporate text, logo's, images, barcodes and pricing information.

- 8 font styles
- 10 print styles
- 8 print sizes
- Barcode printing
- Vertical printing
- 17 borders
- Up to 10mm per second printing speed
- 7 print lines
- QWERTY keyboard
- 16 character x 3 line LCD screen
- Large back-lit LCD screen
- 2,800 character memory
- Automatic tape cutter
- PC & MAC compatible through USB port
- Utilises Tape widths (TZ tapes) - 3.5, 6, 9, 12, 18 & 24mm

Contents: Machine, mains adaptor (Type H1), CD ROM, software installation guide (Win/Mac), USB cable, 24mm black on white tape (8m), user guide

Dimensions (HxWxD) 72x180x248mm Weight 0.85kg

450962.439254

Order Code	1+	3+
130-6381	119.00	115.43

PT-2700VP Label Printer


TZ brother
 TAPE

3.5 - 24mm

New

The PT-2700 is a PC compatible plus desktop labelling machine which is ideal for all office labelling requirements. Its features include printing labels which incorporate text, logos, images, barcodes and pricing information and is the necessary professional labelling choice.

- QWERTY Keyboard
- USB interface
- Large LCD with vivid back-light for easy viewing
- Time & date function for display or printing
- Prints up to 7 lines
- 8 fonts, 11 type styles
- 17 frame styles and 120 symbols
- 9 types of barcode supported
- Store up to 99 files for Memory Print
- Utilises 6 Tape widths (TZ tape) - 3.5, 6, 9, 12, 18 & 24mm
- Supplied with 24mm tape, carrycase, mains adaptor & USB cable

525819

Mfrs. List No.	Order Code	1+
PT2700VP	166-0909	141.92

Coming soon



Register your interest for items that are 'Coming Soon' at www.farnell.co.uk and we'll email you to let you know that they're in stock.

FREE global legislation support



RoHS, REACH, WEEE, EuP, Batteries Directive - we've got it covered at: www.global-legislation.com



Brother Labelling Systems - continued

PT-2460 Label Printer



- Handheld, lightweight suitable for variety of environments
- Produces durable, laminated labels in seconds
- ABCD Keyboard
- 7 print sizes
- 5 print styles
- 15 border styles
- Prints up to 7 lines of text
- Helsinki font
- Auto numbering (1-99)
- Print speed of 10mm/sec
- Mirror, repeat and rotate printing
- Underline/vertical printing
- Barcode function (CODE 39/1-2/5, EAN8, EAN13, UPC-A, UPC-E, CODABAR, EAN128, CODE128)
- 180dpi print resolution
- Manual and tape cut pause cutter
- Store last message function
- 16 character screen x 2 line LCD
- **Memory** - Approx 2,000 characters
- 10 Pre-formatted label templates
- Auto power off
- Utilises 5 Tape widths (TZ tape) - 6, 9, 12, 18 & 24mm

brother

TZ
TAPE
6-24mm

- Powered by 6 x AA batteries (6 x Rechargeable AA can be used) or optional AC Adaptor (Model H)
- Supplied with 6 x AA Alkaline batteries, wrist strap, 12mm black on white tape and lettering stick

Dimensions (HxWxD) 79x113x235mm
Weight 540g
Colour Dark Blue

386665.410776

Description	Mfrs. List No.	Order Code	Price Each
PT-2460 Label Printer	PT2460U1	877-9066	89.00
Type H Adaptor	ADH13PIN	382-2503	9.99

PT-3600 Label Printer



brother

TZ
TAPE
6-24mm

- 10 character, 3 line LCD display
- Up to 10,240 character memory
- Barcode function
- 360 dpi print resolution
- 10 fonts and 24 print sizes
- 28 framing and shading patterns
- Full Qwerty keyboard
- Currency converter with Euro
- PC compatible with USB Interface
- Utilises 5 Tape widths (TZ tapes) - 6, 9, 12, 18, & 24mm
- Dimensions (WxDxH): 237x302x104mm
- Supplied with AC adaptor

248885

Order Code	1+	Price Each	5+
433-2489	299.00		290.03

PT-7500VP Label Printer



TZ
TAPE
brother

6 - 24mm

New

The PT-7500 produces durable labels that are scuff, fade, water, temperature and chemical resistant. They are designed to withstand tough on-site conditions making them perfect for electrical contractors. They are compact in design making them easy to store and transport.

- Handheld durable labelling machine
- ABCD style keyboard
- Protective rubber hand grip
- Barcode printing
- Automatic sequential numbering
- 7 line printing
- 15 styles borders
- 16 character 2 line backlit screen
- 8 print sizes
- Tape cutter
- Utilises 5 Tape widths (TZ tape) - 6, 9, 12, 18 & 24mm
- Includes carrycase, adaptor, wrist strap and 1 tape

525820

Mfrs. List No.	Order Code	Price Each
PT7500VP	166-0910	118.06

PT-7600VP Label Printer



TZ
TAPE
brother

6 - 24mm

New

The PT-7600 produces durable labels that are scuff, fade, water, temperature and chemical resistant. They are designed to withstand tough on-site conditions making them perfect for electrical contractors. They are compact in design making them easy to store and transport.

- ABC keyboard
- 16 characters x 2 lines LCD display with Backlight
- Connects to Microsoft Windows based PC
- USB connection
- Built-in advanced tape cutter ensures labels cut to correct size
- Create your own label layouts and add your own symbols or logos
- 10 memory locations for storing customised images and designs
- Extended range of electrician and A/V symbols
- Dedicated 'Label Type' button allows quick label creation for the most common electrical labelling applications
- Automatic numbering quickly and easily creates labels containing incrementing numbers
- Maximum print height: 18mm
- 5 print styles
- 15 frame styles
- 373 characters
- 164 symbols
- 9 types of barcode supported
- Prints up to 7 lines of text
- Helsinki font
- Print speed of 10mm/sec
- Horizontal, vertical and mirror printing
- Memory - 2,000 characters
- Utilises 5 Tape widths (TZ tape) - 6, 9, 12, 18 & 24mm
- Includes carrycase, adaptor, NiCad rechargeable batteries, wrist strap and 2 tapes

525821

Mfrs. List No.	Order Code	Price Each
PT7600VP	166-0912	153.82

PT-9500PC Labelling Machine



brother

TZ
TAPE
6-36mm

AL
TAPE
6-36mm

HG
TAPE
6-36mm

- PC linked labelling printer
- USB and Serial Connectivity
- Network ready using PS9000 (optional)
- Auto (full & half) multi cutting system
- Import image files (ie. tif, jpg, bmp)
- Graphic support: Clip art, symbol fonts, screen capture
- Time/date printing†
- Mirror & vertical printing
- 14 Auto format categories
- Sequential numbering
- Barcode functions (CODE39, 1-2/5, UPC-A, UPC-E, EAN13, EAN8, CODABAR(NW-7), CODE128, EAN128, POST-NET, Laser Bar Code, ISBN-2, ISBN-5, PDF417†, QR CODE†, Data Matrix†)
- Takes **TZ**, **AL** (paper) and **HG** Tapes (6, 9, 12, 18, 24 & 36mm)
- Utilises 6 Tape widths (**TZ** Tape) - 6, 9, 12, 18, 24 & 36mm
- ‡ Windows only

Contents: labelling machine, software on CD, AC adaptor, USB & serial cable, 2 TZ tapes (Black on White 24mm & Black on Yellow 36mm), lettering stick & catch tray

Software supplied: P-Touch Editor Version 4.0 (PC), Version 3.2 (MAC), P-Touch Quick Editor Version 1.2 (incompatible with Windows® 95/NT4.0, high speed printer drivers)

System requirements (PC): Microsoft® Windows® 95, NT4.0 (Service Pack 6), 98/98SE/Me/2000Pro/XP, 64MB memory, 70MB min hard disk space, CD-ROM drive for installing software

Resolution	360x360dpi (Up to 720x360dpi with HG Tape)
Print Speed	20mm/s (For TZ & AL Tapes) Max 40mm/s (For HG Tape only at 360x360dpi)
Max. Print Height	27.1mm
Power	AC Adaptor (120 - 240V ac)
Interface	USB (Ver 1.1), Serial (Max. 115.2kbps)
Label Length Setting	4 - 1000mm
Copy Printing	2 - 5,000 (Max)
Dimensions (HxWxD)	127x116x190mm
Weight	1.2kg
Colour	Silver/Black/Blue

339176.344671

Mfrs. List No.	Order Code	1+	5+
PT9500PCU1	508-9736	319.00	309.43

QL-500 Label Printer



QL-500 With Manual Cutter

The QL-500 is ideal whether you need one label or many labels, fast, versatile and **prints labels directly from a PC**. Perfect for printing address and shipping labels, banners and signage, these machines have unique label flexibility and can print on both die-cut peel-off labels or continuous length tape.

- **PC compatible printer**
- USB Compatibility (Ver 1.1 or later specification)
- Office and Industrial use
- 300 dpi print resolution
- Die-cut and continuous paper with cutter
- With continuous tape you can print labels 62mm wide and up to 1m long
- 50 label/min. fast printing - Up to 90mm/sec print speed
- Barcode function
- Label List and search function
- Built in Power Supply
- Manual cutter
- Includes P-touch Editor software which allows you to create custom layouts with bar-codes, graphics, true type fonts and special formatting (including frames and tables)
- Highlight, click and print option for quickly printing labels from popular Microsoft Office applications including Outlook®, Word® and Excel®
- Direct thermal print technology eliminates toner, ink and ribbon costs
- Label templates - for quick label creation
- Easy roll loading system - Uses **DK Rolls**

System requirements (PC): Microsoft® Windows® 98SE/ME/2000 Pro/XP Pro/XP Home

Contents: Machine, 2 starter rolls - 1 x die-cut standard address roll, (100 labels, 29 x 90mm) and 1 x DK continuous paper tape roll (62mm x 8m), quick start guide, label catch tray, cleaning sheet (for print roller), CD-ROM (Software/driver/user guide), AC power cord, USB cable

Model	Mfrs. List No.	Order Code	Price Each
QL-500 (Manual Cutter)	QL500U1	877-9074	105.89

DK Die-Cut Labels (White Thermal Paper)

Label Type/Application	Dims.	Labels/Rolls	Mfrs. List No.	Order Code	Price Per Roll
					1+
Small Address	29x62mm	800	DK11209	877-9139	11.99
Standard Address	29x90mm	400	DK11201	877-9112	9.97
Large Address	38x90mm	400	DK11208	877-9120	9.99
Shipping Labels	62x100mm	400	DK11202	877-9147	17.69
Multi-Purpose Return	17x54mm	400	DK11204	877-9163	6.29
File/Folder	17x87mm	300	DK11203	877-9155	8.29
CD/DVD	58mm ∅	100	DK11207	877-9171	20.49

386896.410886

DK Continuous Length Tapes

Colour	Dims. (WxL)	Type	Mfrs. List No.	Order Code	Price Per Roll
					1+
White	12mm x 30.48m	Thermal Paper	DK22214	877-9180	8.07
White	29mm x 30.48m	Thermal Paper	DK22210	877-9198	8.07
White	29mm x 15.24m	Durable Film	DK22211	877-9228	19.99
White	62mm x 30.48m	Thermal Paper	DK22205	877-9210	14.99
White	62mm x 15.24m	Durable Film	DK22212	877-9236	38.48
Yellow	62mm x 15.24m	Durable Film	DK22606	877-9244	52.24
Clear	62mm x 15.24m	Durable Film	DK22113	877-9252	52.24

386896.410886

700 products added online every week



See our pick of the hottest products and latest technologies in 'What's New?' at www.farnell.co.uk

QL-570 Label Printer



The QL-570 prints high quality labels quickly and easily, whether you need just one, or a series of labels. The new slim design looks great on your desk and will soon have your office looking professional and organised.

- Supports barcode printing
- Label rolls & continuous tape
- Self cleaning print head
- 300dpi print resolution
- Direct thermal printing
- Vertical printing
- Automatic cutter
- 68 standard labels per minute print speed
- Uses DK rolls

525826

Mfrs. List No.	Order Code	Price Each
QL570	166-0919	118.06

QL-560VP Label Printer



QL-560VP thermal label printer enables you to quickly and easily print professional labels to suit any purpose. These thermal label printers feature P-touch Editor software which enables you to incorporate bar-codes, graphics, true type fonts and special formatting such as frames and tables into your labels. Complete with a 'value pack' which includes 4 different DK label rolls, comprising of 100 standard address labels, 30 CD/DVD labels, 8m of 62mm wide continuous length label, and 250 of 24mm round labels, in addition to a handy case to keep these in.

- Automatic built-in cutter
- 300dpi high resolution printing
- Prints up to 62mm wide labels
- High speed printing of quality labels
- Label design software included
- DK label roll case included
- 4 DK starter label rolls included
- Supports altogether 18 various pre-sized and continuous length labels

System requirements (PC): Windows®2000 Professional/XP/Windows Vista™

Contents: QL-560 label printer, 1 x DK Roll Case, 4 x DK starter rolls comprising: Standard Address Labels (100 labels), 62 mm Continuous Length Tape (8 m), CD/DVD Labels (30 labels), Round Labels 24 mm (250 labels), USB cable, AC power cord, Label catch tray, CD-ROM (Software/Driver/User Guide), Quick start guide, Label supplies guide, Cleaning Sheet (for print roller).

Model	Mfrs. List No.	Order Code	Price Each
QL-560VP (Automatic Cutter)	QL560VPZU1	153-7499	119.00

DK Die-Cut Labels (White Thermal Paper)

Label Type/Application	Dims. (WxL)	Labels/Rolls	Mfrs. List No.	Order Code	Price Per Roll
					1+
Small Address	29mm x 62mm	800	DK11209	877-9139	11.99
Standard Address	29mm x 90mm	400	DK11201	877-9112	9.97
Large Address	38mm x 90mm	400	DK11208	877-9120	9.99
Shipping Labels	62mm x 100mm	300	DK11202	877-9147	17.69
Multi-Purpose Return	17mm x 54mm	400	DK11204	877-9163	6.29
File/Folder	17mm x 87mm	300	DK11203	877-9155	8.29
CD/DVD	58mm ∅	100	DK11207	877-9171	20.49

500348

DK Continuous Length Tapes

Type	Dims. (WxL)	Colour	Mfrs. List No.	Order Code	Price Per Roll
					1+
Thermal Paper	12mm x 30.48m	White	DK22214	877-9180	8.07
Thermal Paper	29mm x 30.48m	White	DK22210	877-9198	8.07
Durable Film	29mm x 15.24m	White	DK22211	877-9228	19.99
Thermal Paper	62mm x 30.48m	White	DK22205	877-9210	14.99
Durable Film	62mm x 15.24m	White	DK22212	877-9236	38.48
Durable Film	62mm x 15.24m	Yellow	DK22606	877-9244	52.24
Durable Film	62mm x 15.24m	Clear	DK22113	877-9252	52.24

Over 480,000 products online



Brother Labelling Systems - continued

QL-580N



The QL-580N prints high quality labels quickly and easily, whether you need just one, or a series of labels. The new slim design looks great on your desk and will soon have your office looking professional and organised. The printer is also network-ready, allowing everyone in the office to print labels from the same printer.



- Supports barcode printing
- Label rolls & continuous tape
- Automatic cutter
- USB interface
- Direct thermal printing
- Vertical printing
- Network Ready
- 68 standard labels per minute print speed
- Uses DK rolls

525827

Mfrs. List No.	Order Code	Price Each
QL580N	166-0920●	153.82

QL-1050 Label Printer



The QL-1050 is a professional label printer. It features a wide print head that enables you to print labels up to 102mm wide and improved print speeds of up to 110mm/second to maximise efficiency. Boasting many other additional features, including dual interfaces, a durable automatic built-in cutter and support for both die-cut and continuous length label rolls, its practical and functional design makes the QL-1050 the ideal choice for many applications. Perfect for barcode printing, shipping and postage, temporary or indoor signage, visitor & event badges, best before / use by labels and office files and folders.



ping and postage, temporary or indoor signage, visitor & event badges, best before / use by labels and office files and folders.

- PC compatible printer
- USB & RS-232 Serial compatability
- ESC/P printing support
- 2048KB transfer memory
- 300 dpi direct thermal printing
- Self-cleaning printhead
- High speed automatic cutter
- Supports die-cut and continuous length label rolls
- With continuous tape you can print labels up to 102mm wide and up to 3m long
- 69 label/min. fast printing - Up to 110mm/sec print speed
- Label design software
- Automatic time & date printing function
- Built in Power Supply
- Includes P-touch Editor software which allows you to create custom layouts with barcodes, graphics, true type fonts and special formatting (including frames and tables)
- Database connection to Excel, Access and CSV files
- Wide range of graphics, clip-arts, symbols and barcodes
- 99 label templates - for quick label creation
- Windows and Mac compatible
- Easy roll loading system - Uses DK Rolls

525824

Mfrs. List No.	Order Code	Price Each
QL1050	166-0917●	237.33

QL-1060N Label Printer



The QL-1060N is a professional label printer, offering the ultimate flexibility for all your labelling requirements. The professional 4" / 102mm wide label printer has been designed to provide maximum flexibility and labelling options. USB and RS-232 serial ports come as standard to ensure that the printer can connect to most equipment. With a built-in network port with advanced web based management features.



- PC compatible printer
- USB & RS-232 Serial compatability
- 300 dpi print resolution
- High speed automatic cutter
- With continuous tape you can print labels up to 102mm wide
- 69 label/min. fast printing
- Automatic time & date printing function
- Includes P-touch Editor software which allows you to create custom layouts with bar-

codes, graphics, true type fonts and special formatting (including frames and tables)

- 99 label templates - for quick label creation
- Windows and Mac compatible
- Easy roll loading system - Uses DK Rolls

525825

Mfrs. List No.	Order Code	Price Each
QL1060N	166-0918●	273.11

High Grade Tapes



High grade tape, doubles the tape speed to 40mm/second when used with the PT-9500PC Labelling Machine.



- All tape reel lengths are 8m
- Available in Black on White only

339327.344672

Colour/Width	Mfrs. List No.	Order Code	Price Per Reel
			1+ 10+
Black on White			
6mm	HG211	521-5146	12.69 12.31
12mm	HG231	521-5160	15.29 14.83

TX Tapes, P-Touch 8000 and P-Touch PC



	Mfrs. List No.	Order Code	Price Each
			1+ 10+
6mm - 8m Length			
Black on White Gloss	TX211	216-331	22.39 21.72
Black on Yellow Gloss	TX611	216-380	19.49 18.74
White on Black	TX315	216-574	19.49 18.72
9mm - 8m Length			
Black on White Gloss	TX221	216-343	21.49 20.67
Black on Yellow Gloss	TX621	216-392	20.89 20.08
12mm - 8m Length			
Black on White Gloss	TX231	216-355	25.49 24.48
Black on Yellow Gloss	TX631	216-409	25.49 24.48
Black on Red Gloss	TX431	216-434	25.49 24.50
Black on Clear Gloss	TX131	216-495	25.49 24.48
Black on Green Gloss	TX731	216-525	27.99 27.15
White on Black Gloss	TX335	216-598	25.49 24.49
Red on White Gloss	TX232	216-628	25.49 24.49

206850

	Mfrs. List No.	Order Code	Price Each
			1+ 10+
18mm - 15m Length			
Black on White Gloss	TX241	216-367	30.49 29.29
Black on Yellow Gloss	TX641	216-410	30.49 29.29
Black on Clear Gloss	TX141	216-501	30.69 29.77
White on Black Gloss	TX345	216-604	30.49 29.28
Red on White Gloss	TX242	216-630	12.73 --
Blue on White Gloss	TX243	216-689	29.44 28.27
24mm - 15m Length			
Black on White Gloss	TX251	216-379	36.49 35.07
Black on Yellow Gloss	TX651	216-422	36.49 35.07
Black on Red Gloss	TX451	216-458	36.99 35.52
Black on Blue Gloss	TX551	216-483	36.49 35.04
Black on Clear Gloss	TX151	216-513	36.49 35.07
Black on Green Gloss	TX751	216-549	36.49 35.04
White on Black Gloss	TX355	216-616	36.49 35.07
Red on White Gloss	TX252	216-641	36.49 35.04
Blue on White Gloss	TX253	216-690	36.49 35.04

TZ Standard Tapes



- Tape widths of 6, 9, 12, 18, 24 and 36mm
- All tape reel lengths are 8m
- Base tape and ink ribbons for the PT340C are shown at the bottom of the listing



A range of popular TZ tapes in widths ranging from 6mm to 36mm. The listing below shows the Laminated (Gloss) and Non-Laminated types, including Fluorescent.

Note: Other types of TZ tapes available are **Flexi ID** (Flexible), which is ideal for marking cables and a **strong adhesive** type for industrial applications. See within the next listings for details.

339326

Width/Type/Colour	Mfrs. List No.	Order Code	Price Per Reel
			1+ 10+
6mm - Laminated (Gloss)			
Black on Clear	TZ-111	603-340	12.34 11.87
Black on White	TZ-211	603-351	12.49 12.00
White on Black	TZ-315	603-375	12.49 12.01
Black on Yellow	TZ-611	603-363	12.49 12.00
6mm - Non-Laminated			
Black on White	TZ-N211	603-764	9.99 9.59
9mm Laminated (Gloss)			
Black on Clear	TZ-121	603-387	12.99 12.48
Black on White	TZ-221	603-399	12.99 12.48
Red on White	TZ-222	603-442	12.99 12.47
Blue on White	TZ-223	603-454	12.99 12.48
White on Black	TZ-325	603-478	12.99 12.48
Black on Red	TZ-421	603-405	12.99 12.47

Width/Type/Colour	Mfrs. List No.	Order Code	Price Per Reel	
			1+	10+
9mm Laminated (Gloss)				
Black on Blue	TZ-521	603-417	12.99	12.48
Black on Yellow	TZ-621	603-429	12.99	12.48
Black on Green	TZ-721	603-430	13.19	12.67
9mm Non-Laminated				
Black on White	TZ-N221	603-776	10.49	10.08
12mm Laminated (Gloss)				
Black on Clear	TZ-131	603-480	13.49	12.96
White on Clear	TZ-135	453-481	13.69	13.15
Black on White	TZ-231	603-508	13.49	12.41
Red on White	TZ-232	603-570	13.49	12.97
Blue on White	TZ-233	603-582	13.49	12.97
Gold on Black	TZ-334	603-594	13.49	12.96
White on Black	TZ-335	603-600	13.49	12.96
Black on Red	TZ-431	603-510	13.49	12.97
Black on Blue	TZ-531	603-521	13.49	12.96
White on Blue	TZ-535	453-456	13.69	13.15
Black on Yellow	TZ-631	603-533	13.49	12.97
Black on Green	TZ-731	603-545	13.69	13.15
12mm Non-Laminated				
Black on White	TZ-N231	603-788	12.49	12.00
12mm Fluorescent				
Black on Fluorescent Orange	TZ-B31	382-2072	15.94	14.48
Black on Fluorescent Yellow	TZ-C31	603-557	16.74	16.08
18mm Laminated (Gloss)				
Black on Clear	TZ-141	603-636	14.49	13.92
Black on White	TZ-241	603-648	14.49	13.95
Red on White	TZ-242	603-697	14.49	13.93
Gold on Black	TZ-344	603-715	14.49	13.94
White on Black	TZ-345	603-727	14.49	13.94
Black on Red	TZ-441	603-650	14.49	13.94
Black on Blue	TZ-541	603-661	14.49	13.94
Black on Yellow	TZ-641	603-673	14.49	13.95
18mm Non-Laminated				
Black on White	TZ-N241	603-855	14.49	13.92
24mm Laminated (Gloss)				
Black on Clear	TZ-151	957-562	18.49	17.78
White on Clear	TZ-155	453-493	18.77	18.06
Black on White	TZ-251	957-574	18.49	17.76
Red on White	TZ-252	957-586	18.49	17.76
Blue on White	TZ-253	957-598	19.80	19.02
White on Black	TZ-355	957-604	18.49	17.79
Black on Red	TZ-451	382-2011	19.45	17.89
Black on Yellow	TZ-651	957-616	18.49	17.76
36mm Laminated (Gloss)				
Black on Clear	TZ161	302-8860	25.29	24.53
Black on White	TZ-261	302-8872	23.34	22.42
Black on Red	TZ-461	302-8884	22.99	22.08
Black on Blue	TZ-561	302-8896	23.34	22.42
Black on Yellow	TZ-661	302-8902	23.34	22.42
Blue on White	TZ-263	302-8926	23.34	22.42

TZ Flexible Tapes

A range of "Flexi ID" TZ tapes in widths ranging from 6mm to 36mm.

- **Flexible** - Ideal for marking cables
- All tape reel lengths are 8m



339836.344664

Colour/Width	Mfrs. List No.	Order Code	Price Per Reel	
			1+	10+
Black on Clear				
12mm	TZ-FX131	521-5298	14.72	14.00
Black on White				
6mm	TZ-FX211	521-5330	12.99	12.35
9mm	TZ-FX221	521-5341	13.49	12.82
12mm	TZ-FX231	521-5353	14.49	13.76
18mm	TZ-FX241	521-5365	17.99	17.10
24mm	TZ-FX251	521-5377	23.49	22.32
Black on Yellow				
12mm	TZ-FX631	521-5419	16.08	15.27

TZ Strong Adhesive Tapes

A range of "Strong Adhesive" TZ tapes in widths ranging from 6mm to 36mm.

- All tape reel lengths are 8m



339837.344665

Colour/Width	Mfrs. List No.	Order Code	Price Per Reel	
			1+	10+
Black on Yellow				
6mm	TZ-S611	521-5213	13.48	12.80
9mm	TZ-S621	521-5225	14.72	14.00
12mm	TZ-S631	521-5237	16.08	15.27
18mm	TZ-S641	521-5249	18.67	17.74
24mm	TZ-S651	521-5250	19.82	18.82
36mm	TZ-S661	521-5262	27.20	25.85
Black on White				
36mm	TZ-S261	521-5201	25.78	24.50

Over 480,000 products online



Tapes & Accessories for Obsolete PT3000 & PT5000



206719

Tapes	Mfrs. List No.	Order Code	Price Each	
			1+	10+
9mm				
Black on white gloss	TC291	262-810	13.49	12.96
Black on yellow gloss	TC691	262-821	13.49	12.97
Black on clear matt	TCM91	262-985	13.43	12.32
12mm				
Black on white gloss	TC201	263-011	13.99	13.45
Black on yellow gloss	TC601	263-023	13.99	13.44
Black on clear gloss	TC101	263-059	13.99	13.44

Brady Labelling Systems



IDXPert™ Handheld Labelling Machine



ABC Keyboard Model



QWERTY Keyboard Model

BRADY's handheld labelling system has everything it takes to make you an Identification Expert! The IDXPert™ is a handheld cartridge based labelling system that can print die-cut labels, self-laminating labels and sleeves as well as continuous tapes and pipe markers. IDXPert™ comes in two versions. The handheld system is the ideal choice for labelling on the go and in the field, while the Keyboard Layout system offers you the added benefits of a qwerty keyboard.

- Die cut and continuous labels - Extensive range of IDXPert™ label cartridges available
- Drop, lock and print smart IDXPert™ cartridges
- 300 dpi thermal transfer printing
- Tape size up to 38.11 mm
- Bar coding (code 39)
- Banner printing
- Fixed length & step printing (terminal block and patch panel ID)
- Pre-programmed telecom, datacom, electrical & safety symbols
- Time/Date stamp
- Serialisation feature for increased efficiency
- Operates on 6 AA batteries (not supplied) or optional adaptor

Contents: Printer, hard case, XC-1500-580-WT-BK cartridge, PC Cable (for upgrades only), printed quick start guide (4 languages: English, French, German, Dutch), CD-Rom with quick start guide and user manual in 11 languages, Warranty registration card

Dimensions	IDXPert ABC	IDXPert Qwerty
Weight (Incl. Cartridge/Batteries)	95.25x29x127mm	190.5x241.3x88.9mm
	1.09kg	1.11kg
Power Supply	6 x AA or AC Adaptor	
Font Sizes	11	
LCD Screen	3-Line 16-Characters	
Max. Label Width	38.1mm	
Max. Label Length (Die-Cut label)	200mm	
Max. Print Length	482mm	
Multiple Line Printing	Yes - Maximum 23 Lines	
Number of Characters Per Line	Maximum 50	
Print Rotation	0°, 90°, 180°, 360°	
Alignment	Vertical, Horizontal	
Format Text	Bold	
PC Connectivity	For Firmware Upgrades	

386419.410796

Description	Mfrs. List No.	Order Code	Price Each
IDXPert ABC labelling Machine	XPert-ABC	876-9010	307.97
IDXPert Qwerty labelling Machine	XPert-KEY	876-9036	307.97
Accessories and Replacements			
AC Adaptor (UK)	XPert-ACUK	876-9044	48.01


700 products added online every week



See our pick of the hottest products and latest technologies in 'What's New?' at www.farnell.co.uk



Brady Labelling Systems - continued

IDXPERT™ - Wire and Cable Markers -
Permasleeve™ Sleeves

Full circle heat-shrink sleeves are the ultimate in marker durability, performance and appearance. Fast-shrink design saves time and cost during application. Ideal in environments where insulation purposes are required. Available as individual 25.78mm (1 inch) long markers or cut-to-length continuous supply.

B-342 Heat Shrink Polyolefin - 3-to-1 shrink ratio, self-extinguishing, meets material and physical properties requirements of MIL-DTL-23053/5C class 1, MIL-M-81531, MIL-STD-202F, method 215 and UL 224, temperature range -55 °C to 135 °C




Diagram 1





Diagram 2

Ref.	Wire Dia. Range (mm)	Diag.	Dimensions		Colour	Order Code
			A	B		
1	1.2 - 2.8	1	25.78mm	5.96mm	Black on White	876-9532
2	1.6 - 3.8	1	25.78mm	8.50mm	Black on White	876-9567
3	2.4 - 5.5	1	25.78mm	11.15mm	Black on White	876-9591
4	3.2 - 8.1	1	25.78mm	16.38mm	Black on White	876-9621
9	2.4 - 5.5	2	3.65m	11.15mm	Black on White	876-9605
10	2.4 - 5.5	2	3.65m	11.15mm	Black on Yellow	876-9613

386462.411002

Ref.	Mfrs. List No.	Labels/Cartridge	Order Code	Price Per Cartridge 1+
25.78mm Marker Length				
1	XPS-125-1	100	876-9532	26.63
2	XPS-187-1	100	876-9567	27.32
3	XPS-250-1	100	876-9591	30.64
4	XPS-375-1	100	876-9621	33.32
Continuous (Cut to Length)				
9	XPS-250-CONT	1 Roll	876-9605	25.32
10	XPS-250-CONT-YL-BK	1 Roll	876-9613	25.32

IDXPERT™ - Wire and Cable Markers
Self-Laminating Labels

Self-laminating labels are ideal for marking data on electrical cables. Even when the wire/cable is in a fixed position you can still apply the label. It is also possible to label cable bundles. The wire and cable marker's protected printing offers superior chemical and abrasion resistance. It features a non-printed clear area which wraps around and overlaminates the printed text and automatically "multiple repeats" your text in the white print area.

B-427 Vinyl Self-Laminating - Resistant to water, oil, solvents and abrasion, self-extinguishing, temperature range -70 °C to 70 °C

Ref.	Max. Wire Dia. (mm)	Datacom/Electrical Application	Dimensions (mm)			Order Code
			A	B	C	
1	4	Electrical Wire ID	12.70	19.05	9.53	876-9290
2	4	Electrical Wire ID	25.40	19.05	9.53	876-9249
3	5	Electrical Wire ID	12.70	25.40	9.53	876-9281
4	5	Electrical Wire ID	19.05	25.40	9.53	876-9257
5	5	2 pair Fibre/Coax. Single Multi-Mode	25.40	25.40	9.53	876-9230
6	7	Cat-5, 4 pair UTP Copper	12.70	31.75	9.53	876-9273
7	7	Cat-5, 4 pair UTP Copper, Fibre, Coaxial	25.40	31.75	12.70	876-9214
8	7	Cat-5, 4 pair UTP Copper	38.10	31.75	12.70	876-9184
10	8	Cat-5, 4 pair UTP Copper	19.05	38.10	12.70	876-9222

Ref.	Max. Wire Dia. (mm)	Datacom/Electrical Application	Dimensions (mm)			Order Code
			A	B	C	
11	8	Cat-5, 4 pair UTP Copper, Fibre, Coaxial	25.40	38.10	12.70	876-9192
12	8	Cat-5, 4 pair UTP Copper, Fibre, Coaxial	25.40	38.10	12.70	876-9206
14	14	25 pair Copper, 4-12 pair Fibre, Coaxial	25.40	63.50	19.05	876-9150
15	14	25 Pair Copper, 4-12 Pair Fibre, Coaxial	25.40	63.50	19.05	876-9168
16	14	25 Pair Copper, 4-12 Pair Fibre, Coaxial	38.10	63.50	19.05	876-9141

386463.411003

Ref.	Mfrs. List No.	Labels/Cartridge	Order Code	Price Per Cartridge 1+
1	XSL-11-427	500	876-9290	23.30
2	XSL-96-427	250	876-9249	20.31
3	XSL-17-427	500	876-9281	21.64
4	XSL-18-427	250	876-9257	16.64
5	XSL-19-427	250	876-9230	20.63
6	XSL-102-427	250	876-9273	15.98
7	XSL-103-427	250	876-9214	23.30
8	XSL-115-427	250	876-9184	26.63
10	XSL-30-427	250	876-9222	21.64
11	XSL-31-427	250	876-9192	24.97
12	XSL-31-427-YL-BK	250	876-9206	24.97
14	XSL-21-427	100	876-9150	15.98
15	XSL-21-427-YL-BK	100	876-9168	15.98
16	XSL-116-427	100	876-9141	21.30

IDXPERT™ - Continuous Tape for Multiple Applications



This indoor/5yr outdoor vinyl is very pliable and conforms well to smooth and rough surfaces such as pipes, walls, doors, panels, shelving, bins and equipment. Aggressive permanent adhesive. Excellent resistance to oils, detergents, dirt, grime and many solvents. Good for rough surfaces.

- Supplied in rolls of length 9.14m (A)

B-580 Indoor/Outdoor Vinyl - Temperature range -40°C to 120°C

386461.410885

Colour	Width B (mm)	Mfrs. List No.	Order Code	Price Per Cartridge 1+
Black on White	12.70	XC-500-580-WT-BK	876-9648	18.64
Black on White	25.40	XC-1000-580-WT-BK	876-9729	23.30
Black on Yellow	12.70	XC-500-580-YL-BK	876-9664	18.64
Black on Yellow	25.40	XC-1000-580-YL-BK	876-9745	23.30
Black on Yellow	38.10	XC-1500-580-YL-BK	876-9826	27.96
White on Blue	38.10	XC-1500-580-BL-WT	876-9869	27.96

Tyco Labelling Systems

T212M Printer



- Desktop thermal transfer printer
- Economical printer for low to medium volume users
- 300 dpi print heads producing high quality text, barcodes and graphic images.
- Printer is designed for use with Tyco Electronics range of heat shrinkable wire marker sleeves and labels (can not be used with CM-SCE)
- Ribbons and software need to be purchased separately

- UK and European mains leads supplied with printer

Technical Specification - Printer Ribbon

Mfrs. List No.	1330-0607-T200	1330-0619-T200
Compatible Printer	T208M / T212M	T208M / T212M
Ribbon Width	110mm	110mm
Ribbon Length	74m	74m
Ink Type	Resin	Resin
Colour	Black	Black
Ribbon Wind	Ink Side Out	Ink Side Out
Compatible Materials	WP and MP	T1K

505374

Mfrs. List No.	Order Code	Price Each 1+
T212M-PRINTER	156-3974●	543.74
1330-0607-T200	156-3975●	16.37
1330-0619-T200	156-3976●	26.18

700 products added online every week



See our pick of the hottest products and latest technologies in 'What's New?' at www.farnell.co.uk



Thermal Transfer Labels

Kapton® Labels



The polyimide (Kapton®) labels are all ideal for high temperature labelling requirements such as printed circuit boards. They are suitable for direct wave (bottom side) and IR reflow (top side) PCB applications. Tyco Electronics Kapton® labels are designed to withstand the fluxes, cleaning solvents and molten solder encountered in the manufacture of printed circuit boards. They offer excellent contrast for bar code applications. Tyco Electronics Kapton® labels are suitable for the harshest high temperature applications.

Tyco Electronics

New

Mfrs. List No.	Package quantity	Label Width (mm)	Label Height (mm)
T1K-064064-25-9	25,000	6.4	6.4
T1K-095095-10-9	10,000	9.5	9.5
T1K-127111-10-9	10,000	12.7	11.1
T1K-229064-10-9	10,000	22.9	6.4
T1K-254097-10-9	10,000	25.4	9.7
T1K-318064-10-9	10,000	31.8	6.4

505129

Mfrs. List No.	Order Code	1+	5+	10+	25+
T1K-064064-25-9	156-3965●	197.62	192.68	187.86	183.17
T1K-095095-10-9	156-3966●	193.72	188.86	184.14	179.54
T1K-127111-10-9	156-3967●	332.51	324.18	316.09	308.19
T1K-229064-10-9	156-3969●	279.27	272.28	265.49	258.84
T1K-254097-10-9	156-3971●	439.56	428.57	417.86	407.41
T1K-318064-10-9	156-3973●	481.20	457.14	434.28	412.57

Thermal Transfer Labels

MP Metalized Polyester Labels



The MP is a thermal transfer printable metalized polyester film with a permanent acrylic adhesive, designed for rating plates and other applications that require a metal look, such as nameplates, equipment labels, detailed product information labels and serial number plates. MP is UL Listed. Print performance and durability are reliable.

Tyco Electronics

New

Mfrs. List No.	Package quantity	Label Width (mm)	Label Height (mm)
MP-165102-10-8A	10,000	16.5	10.0
MP-254127-10-8A	10,000	25.4	12.7
MP-508254-5-8A	5,000	50.8	25.4
MP-699254-5-8A	5,000	69.9	25.4
MP-762508-2.5-8A	2,500	76.2	50.8

505125

Mfrs. List No.	Order Code	1+	5+	10+	25+
MP-165102-10-8A	156-3960●	94.62	92.26	89.95	87.70
MP-254127-10-8A	156-3961●	108.63	105.92	103.27	100.69
MP-508254-5-8A	156-3962●	175.10	170.73	166.45	162.30
MP-699254-5-8A	156-3963●	204.85	199.75	194.75	189.88
MP-762508-2.5-8A	156-3964●	211.51	206.23	201.06	196.04

Thermal Transfer Labels

WP White polyester labels



- Thermal transfer printable white polyester film with a permanent acrylic adhesive
- Ideal for bar coding, PCB and component labeling, as well as general purpose labeling applications that require a high durability white label
- WP is resistant to a variety of solvents while maintaining print quality
- UL Listed and CSA Certified, and print performance and durability are reliable

Tyco Electronics

New

Package quantity	Label Width (mm)	Label Height (mm)	Price Per Reel
WP-064064-25-925,000	6.4	6.4	156-3949● 43.60
WP-127111-10-910,000	12.7	11.1	156-3950● 46.20
WP-165102-10-910,000	16.5	10.2	156-3951● 78.67
WP-229064-10-910,000	22.9	6.4	156-3952● 54.27
WP-254097-10-910,000	25.4	9.7	156-3953● 65.45
WP-254127-10-910,000	25.4	12.7	156-3954● 79.71
WP-508254-5-95,000	50.8	25.4	156-3955● 118.34
WP-699254-5-95,000	69.9	25.4	156-3957● 150.16
WP-762381-2.5-92,500	76.2	38.1	156-3958● 185.24
WP-762508-2.5-92,500	76.2	50.8	156-3959● 154.99

505122

Over 480,000 products online



Tyco T107M Tapes (Cassettes)

For Tyco T107M Industrial Label Printer

Tyco Electronics



A range of permanent industrial labelling tapes. The material and ribbon is combined in one single cassette. A choice of materials makes them suitable for a wide variety of applications.

Heat Shrink Tubing (TMS)

Flame retarded, radiation cross-linked 3:1 shrink ratio polyolefin heat shrinkable tubing. Meets the performance requirements of MIL-DTL-23053/5 classes 1. Identification marks are permanent immediately after printing and remain legible even when exposed to solvents, fuels and oils.

Printed tubing meets the mark performance requirements of MIL-M81531 and MIL-STD-202 both before and after shrinking. Low profile and lightweight, they may be used to provide strain relief and insulation in addition to identification.

Nylon Cloth Tape (NC)

Nylon coated, halogen free fabric tape, formulated with a permanent acrylic adhesive. Used for identifying electrical cables and wires (flagging and wrapping) as well as to adhere to curved surfaces. It is not recommended for outdoor use.

Coloured Vinyl Tape (V)

Coloured vinyl tape formulated with a permanent acrylic adhesive and a topcoat specifically for thermal transfer printing. Mainly used for general labelling (patch panels, electrical panels, datacom racks) and asset labelling. Can be recommended for outdoor use.

Polyester Tape (WP)

Polyester tape formulated with a permanent acrylic. Used for inventory marking as well as for adhesion onto rough surfaces. Can be recommended for outdoor use and is halogen free.

Metalised Polyester Tape (MP)

Polyester tape formulated with a permanent acrylic. Used for inventory marking as well as for adhesion onto rough surfaces. Can be recommended for outdoor use and is halogen free.

TMS Heat Shrink Tubing

Tape Colour	Cable Dia. Range	Shrink Ratio	Mfrs. List No.	Order Code	Price Each
Yellow	1.18 - 2.33	3:1	SMS-TMS-3.9-4	100-8200●	19.05
White	1.18 - 2.33	3:1	SMS-TMS-3.9-9	100-8202●	19.05
Yellow	1.73 - 3.73	3:1	SMS-TMS-5.2-4	100-8203●	20.83
White	1.73 - 3.73	3:1	SMS-TMS-5.2-9	100-8204●	20.83
Yellow	2.97 - 5.13	3:1	SMS-TMS-7.9-4	100-8205●	22.50
White	2.97 - 5.13	3:1	SMS-TMS-7.9-9	100-8206●	22.50
Yellow	4.64 - 8.7	3:1	SMS-TMS-13.2-4	100-8207●	23.82
White	4.64 - 8.7	3:1	SMS-TMS-13.2-9	100-8208●	23.82

417079.439775

Tape Colour	Width	Mfrs. List No.	Order Code	Price Each
NC Nylon Cloth Tape 3.5m				
Yellow	12mm	SMS-NC-12-4	100-8209●	13.69
White	12mm	SMS-NC-12-9	100-8210●	13.69
White	19mm	SMS-NC-19-9	100-8211●	15.48
V Coloured Vinyl 5.5m				
Yellow	12mm	SMS-V-12-4	100-8215●	12.50
White	12mm	SMS-V-12-9	100-8216●	12.50
Red	19mm	SMS-V-19-2	100-8217●	13.69
Yellow	19mm	SMS-V-19-4	100-8218●	13.69
Green	19mm	SMS-V-19-5	100-8219●	12.33
White	19mm	SMS-V-19-9	100-8220●	13.69
WP Polyester Tape 5.5m				
White	12mm	SMS-WP-12-9	100-8221●	12.50
White	19mm	SMS-WP-19-9	100-8222●	13.69
MP Metalised Polyester Tape 5.5m				
Matt Silver	12mm	SMS-MP-12-8A	100-8223●	12.50
Matt Silver	19mm	SMS-MP-19-8A	100-8224●	13.69

Casio Labelling Systems

Labelling Tapes for CASIO Label Machines

CASIO

- Tapes supplied in 8 metre cassettes
- Label tape is non-laminated

206735

6mm	Mfrs. List No.	Order Code	1+	5+	10+
Black on White	KR6WE	755-928	7.73	6.96	6.07
Black on Clear	KR6X	755-930	7.73	6.96	6.07
Black on Yellow	KR6YW	755-941	7.73	6.96	6.07
9mm					
Black on Yellow	IR9YW	263-230	9.34	8.40	8.01
Black on Clear*	IR9X	263-266	9.34	8.40	8.01
Black on Silver*	XR9SR	263-280	7.15	6.74	6.28
12mm					
Black on White	KR12WE	755-898	10.90	9.81	9.27
Black on Clear	KR12X	755-904	10.90	9.81	9.27



Casio Labelling Systems - continued

Labelling Tapes for CASIO Label Machines - continued

6mm	Mfrs. List No.	Order Code	1+	5+	10+
Black on Yellow	KR12YW	755-916	10.90	9.81	9.27
18mm					
Black on White	IR18WE	263-308	13.68	12.32	11.68
Black on Yellow	IR18YW	263-310	13.68	12.32	11.68
Black on Clear*	IR18X	263-345	13.68	12.32	11.68

*NB these labels have a metalised backing making them electrically conductive

Pre Printed/Write-On Labels & Accessories

ROHS Compliance Labels



30 x 10mm



30 x 10mm



15mm

A range of labels for use in marking equipment and components has been RoHS compliant.

- Polyester with polyester over laminate and acrylic adhesive
- Excellent adhesion to most surfaces including powder coated and low energy surfaces

419758

Dims.	Labels/Roll	Mfrs. List No.	Order Code	Price/Roll
LEAD FREE				
30x10mm	500	Y435081	100-8401●	58.11
RoHS Compliant Directive 2002/95/EC				
30x10mm	500	Y436423	100-8403●	58.11
30x10mm	5000	Y436424	100-8404●	198.55
Pb				
15mm	500	Y436425	100-8405●	54.47
15mm	5000	Y436426	100-8406●	184.02

WEEE Compliant Labels



White on Black



Black on White


The crossed out wheeled bin symbol is compliant to the latest norm for WEEE marking (EN50419:2005).

- Material: B7541 laminate polyester
- Available in two styles and sizes and supplied in rolls of either 500 or 5000 labels

422811

Dimensions (WxH)	Labels/Roll	Mfrs. List No.	Order Code	Price/Roll
White on Black				
10x13mm	500	Y423561	948-2474●	27.85
10x13mm	5000	Y423922	110-2613●	175.03
15x20mm	500	Y423923	948-2482●	30.87
15x20mm	5000	Y423924	110-2614●	193.15
Black on White				
10x13mm	500	Y451515	110-2609●	30.19
10x13mm	5000	Y451516	110-2610●	175.03
15x20mm	500	Y451517	110-2611●	33.19

Inspection Arrows

H=3.2,
W=4.7

- Self-adhesive, cloth backed, vinyl labels
- Black on Yellow arrow head to highlight and pinpoint faults
- Can easily be removed without leaving any adhesive or residue
- Ideal for PCBs or finished surfaces

214162

576 Labels Per Card		Price Per Card				
Mfrs. List No.	Order Code	1+	10+	100+	500+	1K+
B500 BIA-Y	463-656	1.88	1.61	1.41	1.21	1.11

Self-Adhesive Write-On Labels



Nylon Cloth

- For industrial, warehouse, QA and safety marking needs
- Easily adhere to clean, dry surfaces
- Removable adhesive remains firmly in place until removed
- Each pack contains 350 labels measuring 16x38mm
- Backing card provides a firm writing surface

- To select the correct label for your requirements, refer to the Farnell Order Code under the desired legend

The **Manufacturers List No.** is shown in brackets after the relevant Farnell Order Code. Be aware that the "0" within the "WO" part is the letter "O" and not a zero

ACCEPTED BY: DATE: _____	DO NOT USE	NOT CALIBRATED INDICATOR ONLY	SAFETY CHECK BY: DATE: _____
491-7571 (WO-2)	491-7698 (WO-918)	491-7832 (WO-645)	491-7960 (WO-596)
APPLIANCE TESTED BY: DATE: _____ NEXT TEST DUE: _____	DO NOT USE AFTER: _____	OK TO USE BY: DATE: _____	SAFETY CHECK BY: DATE: _____
491-7583 (WO-686)	491-7704 (WO-18)	491-7844 (WO-653)	491-7972 (WO-939)
BATCH NO. Date: _____	DUE FOR INSPECTION DO NOT REMOVE	PART NO.	SERIAL NO.
491-7595 (WO-7)	491-7716 (WO-20)	491-7856 (WO-637)	491-7984 (WO-34)
BLANK (Not printed)	EQUIPMENT NO.	PASSED BY: DATE: _____	SERVICE RECORD SERV DATE: BY: _____ NEXT SERV DUE: _____
491-7601 (WO-24)	491-7728 (WO-657)	491-7868 (WO-623)	491-7996 (WO-648)
CALIBRATED BY: DATE: _____ DUE: _____	EQUIPMENT NOT TO BE USED	QA ACCEPTED BY: DATE: _____	SERVICED BY: DATE: _____
491-7613 (WO-41)	491-7730 (WO-569)	491-7870 (WO-625)	474-3763 (WO-574)
CALIBRATED BY: DATE: _____ DUE: _____	FAILED BY: DATE: _____	QA APPROVED BY: DATE: _____	SHELF LIFE EXP. DATE: _____
491-7625 (WO-644)	491-7741 (WO-646)	491-7881 (WO-624)	491-8009 (WO-620)
CALIBRATION BY: DATE: _____ DUE: _____	FIXED ASSET NO.	QA INSPECTED BY: DATE: _____	STOCK NO.
491-7637 (WO-10)	491-7753 (WO-681)	491-7893 (WO-627)	491-8010 (WO-37)
CALIBRATION NOT REQUIRED	FOR INDICATION ONLY	QA REJECTED BY: DATE: _____	TESTED DATE: INITIALS: _____
491-7649 (WO-53)	491-7765 (WO-613)	491-7900 (WO-626)	491-8022 (WO-38)
CHECKED BY: DATE: _____	INSPECTED BY DATE: _____	QUALITY CONTROL	TESTED FOR ELECTRICAL SAFETY Leakage Current: _____ Engineer: _____ Date: _____ Do not use after: _____
491-7650 (WO-633)	491-7777 (WO-52)	491-7911 (WO-641)	491-8034 (WO-111)
CLEANED BY: DATE: _____	JOB NO.	REJECTED REASON: BY: _____	TESTED FOR ELECTRICAL SAFETY BY: DATE: _____ NEXT TEST DUE: _____
491-7662 (WO-660)	491-7807 (WO-697)	491-7923 (WO-1)	491-8046 (WO-651)
DATE INSTALLED BY: DATE: _____	NEXT SERVICE DUE DATE: _____	REPAIRED BY INITIALS: DATE: _____	TESTED FOR ELECTRICAL SAFETY BY: DATE: _____
491-7674 (WO-949)	491-7819 (WO-689)	491-7947 (WO-31)	491-8058 (WO-572)
DO NOT REMOVE	NOT CALIBRATED	REWORK / REJECT	TESTED Date: _____ Initials: _____ Do not use after: _____
491-7686 (WO-631)	491-7820 (WO-635)	491-7959 (WO-638)	491-8060 (WO-954)

337862.276152

Self-Adhesive Write-On Labels



Metalised Polyester

- For industrial, warehouse, QA and safety marking needs
- Easily applied to any clean, dry, oil free surface
- Each label is smudge-free and permanently debossed once marked
- Each pack contains 350 labels measuring 16x38mm
- Labels supplied on a backing card to provide a firm writing surface

- To select the correct label for your requirements, refer to the Farnell Order Code under the desired legend

The **Manufacturers List No.** is shown in brackets after the relevant Farnell Order Code. Be aware that the "O" within the "WOAF" part is the letter "O" and not a zero

APPLIANCE TESTED BY: DATE: _____ NEXT TEST DUE: _____	BLANK (Not printed)	CALIBRATED BY: DATE: _____ DUE: _____	NOT CALIBRATED INDICATOR ONLY
491-8083 (WOAF-686)	491-8101 (WOAF-30)	491-8137 (WOAF-41)	491-8150 (WOAF-645)

 491-8162 (WOAF-10)	 491-8400 (WOAF-623)	 491-8551 (WOAF-38)
 491-8186 (WOAF-633)	 491-8502 (WOAF-34)	 491-8563 (WOAF-651)
 491-8265 (WOAF-646)	 491-8514 (WOAF-648)	 491-8575 (WOAF-572)

337872.276106

Pack Size	Order Code	1+	5+	20+	50+
350 Labels	All Order Codes	16.79	15.62	14.80	13.67

Partially Laminated



H=15, W=40

- Pre-printed, self-adhesive vinyl labels
- Partially laminated with clear polyester
- Allows text to be written or typed on, then fully laminated
- Unaffected by mild acids, alkalis, oils, grease and aliphatic solvents
- Supplied as 100 labels per pack (5 labels per strip, 20 strips per pack)

100 Per Pack Legend	Order Code	1+	10+	50+	100+	200+
Tested	463-668	7.32	6.60	6.22	6.11	5.65
Serial No.	463-670	6.47	5.84	5.50	5.40	4.99
Tested for Electrical Safety	463-681	6.56	5.92	5.58	5.48	5.06
Next Test Due	463-693	7.32	6.60	6.22	6.11	5.65
Equipment No.	463-700	7.32	6.60	6.22	6.11	5.65

213946

Tamper-proof Visible




H = 15 W = 40

- If removed once applied leaves a "void message" behind
- Label cannot be re-applied
- Partially laminated with clear polyester allowing text to be written or typed and then fully laminated
- Supplied as 100 labels per pack (5 labels per strip, 20 strips per pack)

213932


100 Per Pack Order Code	1+	10+	Price Per Pack 50+	100+	200+
463-723	7.18	6.46	6.09	5.96	5.56

Tamper-Proof Labels Fracturing



A

A



B

B

- Label cannot be moved without fracturing
- Supplied on dispenser card
- The round labels measure 19mm in dia.
- Rectangular measure 40x12mm (L x H)

Mfrs List No. 13042 = 152-662, 13043 = 666-361, 13044 = 891-629, 13045 = 891630

213971

Legend	Labels Per Card	Order Code	1+	10+	100+	500+	1K+
calibration void if broken A	9	152-662	0.82	0.74	0.67	0.66	0.60
calibration void if broken B	17	666-361	0.84	0.75	0.68	0.67	0.61
Warrenty Void if Broken A	9	891-629	0.88	0.79	0.72	0.71	0.67
Warrenty Void if Broken B	17	891-630	0.84	0.75	0.68	0.67	0.61

Tamper-Proof Labels



- If removed once applied leaves a checked patterns on the surface
- Label cannot be re-applied
- For tamper evident applications
- For use in laser printers only



524544

Mfrs. List No.	Length (mm)	Width (mm)	Labels Per Card	Order Code	1+	5+	10+
C200X100AAL	28	50.8	28	165-7358	4.91	4.76	4.62
C275X125AAL	18	69.85	18	165-7359	3.16	3.07	2.98
C075X025AAL	270	19.05	270	165-7360	5.01	4.86	4.71
C100X050AAL	119	25.4	119	165-7361	4.06	3.94	3.82

Tamper-Proof Fracturing



Q.A. SEAL

Q.A. SEAL

- Once in place, label cannot be removed without fracturing
- Supplied on dispenser cards

Note: For convenience of handling we recommend order multiples of 10 cards.

Dia. = 10mm

A

H=13mm,

W=37mm

B

Mfrs. List No.

WTP-8 = 666-385,

WTP-2 = 666-397

214179

Legend	Labels Per Card	Order Code	1+	10+	100+	500+	1K+
Q.A. Seal A	20	666-385	1.61	1.47	1.35	1.22	1.07
Q.A. Seal B	11	666-397	1.61	1.47	1.35	1.22	1.07

CE Labels



- White self adhesive vinyl labels
- Durable polyester laminate
- Meets with CE marking requirements

214180

500 Per Pack	Order Code	1+	5+	10+	25+	50+
6.35x7.62mm	764-966	20.96	18.88	17.72	17.35	16.17
12.7x12.7mm	665-800	12.27	11.05	10.49	10.28	9.63
19.05x19.05mm	665-812	15.31	13.77	13.08	12.84	12.29

Earth Symbol



- White on green self adhesive vinyl label
- Durable polyester laminate

213957

100 per pack	Mfrs. List No.	Order Code	1+	5+	10+	25+
19x19mm	WLA10	765-510	10.15	9.74	9.41	8.72
12.5x12.5mm	WLB02	765-521	8.70	8.33	8.05	7.46

Copper Rail Labels



A range of self-adhesive vinyl labels with pre-printed legends to identify copper rails, connections or operating resources.

- Available in 12.5mm or 16mm diameters.
- Temperature resistant from -30°C to 100°C
- Dirt repelling
- Long lasting adhesive strength

Legend	Label Diameter	Label Colour	Order Code
L1	12.5mm	Black	128-9064
L1	16mm	Black	128-9065
L2	12.5mm	Black	128-9066
L3	12.5mm	Black	128-9069
L3	16mm	Black	128-9071
N	12.5mm	Blue	128-9072
N	16mm	Blue	128-9073
Earth	12.5mm	Yellow / Green	128-9074
Earth	16mm	Yellow / Green	128-9075




Pre Printed/Write-On Labels & Accessories - continued

Copper Rail Labels - continued

450119

100 per pack Legend	Labels Per Strip	Order Code	1+	10+	50+	100+
L1	10	128-9064●	6.48	5.95	5.61	5.30
L1	10	128-9065●	5.71	5.30	5.06	4.82
L2	10	128-9066●	4.90	4.49	4.24	4.00
L3	10	128-9069●	4.90	4.49	4.24	4.00
L3	10	128-9071●	7.56	7.03	6.69	6.38
N	10	128-9072●	6.27	5.76	5.43	5.13
N	10	128-9073●	5.67	5.27	5.02	4.79
Earth	10	128-9074●	4.90	4.49	4.24	4.00
Earth	10	128-9075●	7.56	7.03	6.69	6.38

Warning



A range of self-adhesive vinyl labels with pre-printed legends. They are supplied on a strip.

Legend	Label Size	Label Colour	Order Code	110VAC	38x19mm	Yellow	463-760
110v	32x11mm	Yellow	146-364	115VAC	38x19mm	Yellow	890-790
230V	32x11mm	Yellow	890-789	230VAC	38x19mm	Yellow	463-772
240V	32x11mm	Yellow	147-587	240VAC	38x19mm	Yellow	463-784
415v	32x11mm	Yellow	146-366	(warning flash)	19x19mm	yellow	765-533
110v	19x19mm	Yellow	463-735	Beware	33x40mm	Yellow	891-642
115v	19x19mm	Yellow	765-545	Warning	38x19mm	yellow	146-368
230V	19x19mm	Yellow	463-747	Warning Isolate	38x19mm	Yellow	463-796
240V	19x19mm	Yellow	463-759	Danger	25x57mm	Yellow	891-654

Note: For convenience of handling we recommend order multiples of 10 strips.

214157

Legend	Labels Per Strip	Order Code	1+	10+	100+	500+	1K+
110v	20	146-364●	1.03	0.94	0.79	0.78	0.71
230V	20	890-789●	1.03	0.94	0.79	0.78	0.71
240V	20	147-587●	0.80	0.73	0.61	0.60	0.55
415v	20	146-366●	1.03	0.94	0.79	0.78	0.71
110v	10	463-735●	1.03	0.90	0.82	0.81	0.78
115v	10	765-545●	1.09	0.94	0.84	0.82	0.78
230V	10	463-747●	1.03	0.90	0.82	0.81	0.78
240V	10	463-759●	1.03	0.90	0.82	0.81	0.78
110VAC	10	463-760●	1.03	0.90	0.82	0.81	0.78
115VAC	10	890-790●	1.03	0.94	0.79	0.78	0.71
230VAC	10	463-772●	1.03	0.90	0.82	0.81	0.78
240VAC	10	463-784●	1.03	0.90	0.82	0.81	0.78
(warning flash)	10	765-533●	1.09	0.94	0.84	0.82	0.78
Beware	5	891-642●	1.19	1.04	0.94	0.90	0.82
Warning	12	146-368●	1.23	1.05	0.93	0.91	0.87
Warning Isolate	10	463-796●	1.03	0.90	0.82	0.81	0.78
Danger	8	891-654●	1.46	1.27	1.15	1.11	1.03

Wiring Colours to Two Versions of BS7671 Labels



50x65mm (831-6767)



50x95mm (831-6740)

Two different styles of labels for warning about electrical installations having wiring colours to two versions of BS7671.

Material Yellow Vinyl

387248

Size	Pack	Mfrs. List No.	Order Code	1+	10+	50+
50x65mm	10	LBC-TYC-065050-S	831-6767	2.99	2.74	2.54
50x95mm	10	LBC-TYC-BS7671-S	831-6740	2.99	2.74	2.54

700 products added online every week



See our pick of the hottest products and latest technologies in 'What's New?' at www.farnell.co.uk

Equipment



H=26, W=51

- Self-adhesive aluminium foil
- Areas for indicating 'Model', 'Serial No.', 'Supply' and 'Frequency'.
- May be marked using a ball point pen, marker pen or hand stamp

Note: For convenience of handling we recommend order multiples of 10 cards.

Mfrs. List No. CAT-2-F

FOR SUITABLE HAND STAMPS SEE ORDER CODES 105-246 (A to Z) AND 105-247 (0 to 9)

214165

10 Per Card Order Code	1+	10+	Price Per Card	100+	500+	1K+
151-268	1.38	1.27	1.16	1.07	0.95	

Pat Testing Labels




W=30 L=150

- Cable labels to identify when a PAT test is required
- Tear resistant material
- Print receptive surface


214021

10 Labels Per Card	Colour	Mfrs List No.	Order Code	1+	10+	50+	100+
Green		13008	860-967●	2.85	2.69	2.56	2.51
Blue		13009	860-979●	2.74	2.60	2.47	2.43

EPROM/PCB



For dimensions see below.



- Plain labels which may be hand-written or printed using an 80 column printer
- Ideal for EPROMs, ICs, PCBs etc.

Permanent Polyester For use on topside of circuit boards or ICs. May be used before solder process. Operating temperature -40°C to +155°C.

Removable Polyester (UV Opaque) Foil backed EPROM labels which may be removed cleanly after high temperature exposure. Operating temperature -40°C to +155°C.

Metallised Polyester Decorative, permanent marker for PROMs and circuit boards. Operating temperature -40°C to +155°C.

A	B	Dimensions C	D	E	Labels Per Row	Colour	Mfrs. List No.	Order Code
16.5	5.1	20.3	12.7	224.8	10	White	12100	463-802
25.4	12.7	27.9	16.9	218.4	7	White	12101	463-814
25.4	12.7	27.9	16.9	218.4	7	White	12102	463-826
25.4	12.7	27.9	16.9	218.4	7	silver	12103	463-838

214143

500 Per Pack Size	Order Code	1+	10+	20+	30+
Permanent Polyester 16.5 x 5.1	463-802●	4.19	3.82	3.53	3.47
25.4 x 12.7	463-814●	13.57	12.19	11.58	11.36
Removable Polyester (UV Opaque) 25.4 x 12.7	463-826●	25.72	22.20	21.08	20.67
Metallised Polyester 25.4 x 12.7	463-838●	13.85	12.46	11.83	11.60



Self-Adhesive Numbers & Letters

BEAVERSWOOD®



These self-adhesive numbers and letters are printed black on yellow, ensuring high visibility. Simple to apply, they can be quickly removed and leave no adhesive residue. They are suitable for a variety of uses throughout the warehouse including labelling of shelves, racking, bins and other areas.

New


- Clean peel - leaves no residue
- Easy warehouse identification
- Bin numbering
- High Visibility
- 1 card for each character

520864

Legend	Size (HxW)	Characters Per Card	Order Code	1+	5+	10+
0-9	19 x 14mm	36	163-8346	8.97	8.70	8.53
A-Z	19 x 14mm	36	163-8347	23.33	22.63	22.17
0-9	38 x 21mm	12	163-8349	8.97	8.70	8.53
A-Z	38 x 21mm	12	163-8351	23.33	22.63	22.17
0-9	56 x 21mm	12	163-8352	12.42	12.05	11.81
A-Z	56 x 21mm	12	163-8353	32.30	31.33	30.70
0-9	90 x 38mm	6	163-8354	17.08	16.57	16.24
A-Z	90 x 38mm	6	163-8355	44.41	43.08	42.22

Ticket Holders

BEAVERSWOOD®



With a choice of 3 heights this clear PVC strip is supplied with either an aggressive adhesive backing for permanent locations, or with a magnetic option which offers the flexibility to change locations and is suitable for cold storage applications.

New

- Ideal for identifying locations on shelving and pallet racking
- Pull-forward front allows easy loading and updates of information
- Barcodes can be scanned without removing the insert
- Pre-cut sizes from stock
- White card insert included

520867

Size (HxW)	Pack Qty	Order Code	1+	5+	10+
Self-adhesive					
25 x 100mm	100	163-8356	37.27	36.15	35.43
25 x 200mm	50	163-8357	35.41	34.34	33.66
38 x 100mm	100	163-8358	40.38	39.16	38.38
38 x 200mm	50	163-8359	38.20	37.05	36.31
54 x 100mm	100	163-8360	55.90	54.22	53.14
54 x 200mm	50	163-8362	50.62	49.10	48.12
Magnetic					
25 x 100mm	100	163-8363	65.53	63.56	62.29
25 x 200mm	50	163-8364	52.17	50.61	49.60
38 x 100mm	100	163-8365	69.56	67.47	66.13
38 x 200mm	50	163-8366	55.59	53.92	52.85
54 x 100mm	100	163-8367	82.61	80.14	78.54
54 x 200mm	50	163-8368	74.22	72.00	70.56

Label Holders

BEAVERSWOOD®



New

These magnetic and self-adhesive label holders are supplied from stock in pre-cut lengths. Each holder is supplied with white card inserts and a cover strip.

- Instant and highly visible identification
- Easy to update and cut to size
- White card insert included

520875

Size (HxW)	Pack Qty	Order Code	1+	5+	10+
Self-adhesive					
15 x 80mm	100	163-8369	36.03	34.95	34.25
30 x 80mm	100	163-8370	49.07	47.60	46.65
50 x 80mm	100	163-8371	60.87	59.05	57.87
30 x 1m	10	163-8372	38.51	37.35	36.61
Magnetic					
15 x 80mm	100	163-8374	30.75	29.83	29.23
20 x 80mm	100	163-8375	33.54	32.54	31.89
25 x 80mm	100	163-8376	36.34	35.25	34.55
30 x 80mm	100	163-8377	40.38	39.16	38.38
50 x 80mm	100	163-8378	65.84	63.86	62.59

Document Pockets

BEAVERSWOOD®



New

A range of document pockets to suit most environments with magnetic or self-adhesive strips. The adhesive pockets are supplied with an aggressive adhesive tape along the top and bottom edge (A7 pocket has tape along the top edge only) for a permanent fixing. The magnetic pockets are supplied with a magnetic edge along the top, so that they can be simply lifted and relocated when necessary.

- Industrial quality pockets with folded edges
- Ideal for when documentation needs to be kept clean
- For use with various sized inserts from A4-A7 in vertical and horizontal formats

520876

Size (HxW)	Insert Size	Pack Qty	Fixing	Order Code	1+	5+	10+
Self-adhesive							
215 x 310mm	A4	10	Horizontal	163-8379	16.46	15.96	15.64
310 x 220mm	A4	10	Vertical	163-8380	16.46	15.96	15.64
155 x 230mm	A5	10	Horizontal	163-8381	14.28	13.86	13.58
215 x 160mm	A5	10	Vertical	163-8382	14.28	13.86	13.58
60 x 110mm	A7	100	Horizontal	163-8383	51.24	49.70	48.71
Magnetic							
215 x 310mm	A4	10	Horizontal	163-8384	24.22	23.50	23.03
310 x 220mm	A4	10	Vertical	163-8386	24.22	23.50	23.03
155 x 230mm	A5	10	Horizontal	163-8387	20.18	19.58	19.19
215 x 160mm	A5	10	Vertical	163-8388	20.18	19.58	19.19
60 x 110mm	A7	100	Horizontal	163-8389	68.01	65.97	64.66

Magnetic Easy Wipe Racking Strip

BEAVERSWOOD®



- Write on - Wipe off
- Easily cut to size
- Cost effective

New

The magnetic easy wipe racking strip provides a fast and cost effective updating system for identifying product codes and stock level information, etc.

Wet Wipe Marker Pens

The black marker pens allow for easy updates and text can be wiped clean with a damp cloth.

520884

Size (WxL)	Colour	Order Code	1+	5+	10+
20mm x 10m	White	163-8390	20.18	19.58	19.19
20mm x 10m	Yellow	163-8391	20.18	19.58	19.19
30mm x 10m	White	163-8392	27.33	26.52	25.99
30mm x 10m	Yellow	163-8393	27.33	26.52	25.99
40mm x 10m	White	163-8394	34.79	33.74	33.07
40mm x 10m	Yellow	163-8395	34.79	33.74	33.07
50mm x 10m	White	163-8396	42.24	40.98	40.16
50mm x 10m	Yellow	163-8398	42.24	40.98	40.16
70mm x 10m	White	163-8399	49.07	47.60	46.65
70mm x 10m	Yellow	163-8400	49.07	47.60	46.65
90mm x 10m	White	163-8401	56.83	55.12	54.02
90mm x 10m	Yellow	163-8402	56.83	55.12	54.02
Accessories					
Marker Pen	Pack Qty		1+	5+	10+
	5	163-8343	9.69	9.40	9.20

Magnetic Easy Wipe Location Markers

BEAVERSWOOD®



- Locates on steel surfaces
- Write on - Wipe off
- Quick and easy relocation

New

White faced magnetic location markers supplied in packs of single sized markers. Use a wet-wipe marker pen, write on, update and move when required.

Wet Wipe Marker Pens

The black marker pens allow for easy updates and text can be wiped clean with a damp cloth.

520888

Size (HxW)	Pack Qty	Order Code	1+	5+	10+
20 x 80mm	100	163-8404	19.56	18.97	18.59
25 x 80mm	100	163-8405	22.36	21.68	21.25
30 x 80mm	100	163-8406	25.15	24.40	23.91
40 x 80mm	100	163-8407	29.51	28.62	28.05
50 x 80mm	100	163-8408	37.58	36.45	35.73
30 x 100mm	100	163-8409	27.33	26.52	25.99
50 x 100mm	100	163-8410	42.55	41.28	40.45



Pre Printed/Write-On Labels & Accessories - continued

Magnetic Easy Wipe Location Markers - continued

Size (HxW)	Pack Qty	Order Code	1+	5+	10+
50 x 150mm	100	163-8411	51.55	50.01	49.01
56 x 105mm	100	163-8412	56.52	54.82	53.73
90 x 210mm	10	163-8413	15.22	14.76	14.46
Accessories					
Marker Pen	5	163-8343	9.69	9.40	9.20

Magnetic Self-adhesive Strip



- Locates on any steel surface
- Makes anything magnetic
- No drilling required

New

The magnetic strip is supplied in three widths, each backed with a strong permanent self-adhesive for mounting items onto steel surfaces. This magnetic strip is ideal for many jobs in the factory or warehouse, eliminating the need for drilling or other methods of fixing.

520894

Width	Length	Order Code	1+	5+	10+
13mm	30m	163-8414	61.18	59.35	58.16
20mm	10m	163-8416	32.30	31.33	30.70
50mm	10m	163-8417	50.62	49.10	48.12

Label Tags

Warning Tags



- Rigid, extruded PVC
- Used to identify cables in adverse conditions
- Bound to cables using standard 200mm cable ties supplied
- Supplied in strips of 10 in easy snap out format

Pack contains: Strip of 10 labels & 20 cable ties

H=20, W=49mm

208191

10 Per Pack Legend	Mfrs. List No.	Order Code	1+
High Voltage	11017	861-431●	3.57
Mains Cable	11018	861-443●	3.57

Accident Prevention



Do not switch off

Remarks: _____
Date: _____
Signed by: _____

Do not touch

Remarks: _____
Date: _____
Signed by: _____

Do not start

Please see other side

Remarks: _____
Date: _____
Signed by: _____

Do not operate

Remarks: _____
Date: _____
Signed by: _____

Do not use

Remarks: _____
Date: _____
Signed by: _____

H=160, W=75

Do not switch on

Remarks: _____
Date: _____
Signed by: _____

WARNING Out of order

Remarks: _____
Date: _____
Signed by: _____

DANGER Electric shock risk

Remarks: _____
Date: _____
Signed by: _____

DANGER High voltage

Remarks: _____
Date: _____
Signed by: _____

- Allows on the spot warning of dangerous conditions
- Heavy duty vinyl to withstand moisture, grease and dirt
- Write on surface
- Supplied in packs of 10 tags with 10 nylon ties

213915

10 Per Pack Legend	Mfrs. List No.	Order Code	1+	5+	10+	20+
Do Not Touch	AP103	666-476	8.75	8.05	7.71	7.21
Do Not Start	AP109	666-488	8.75	8.05	7.71	7.21
Do Not Operate	AP110	666-490	8.75	8.05	7.71	7.21
Do Not Use	AP114	666-506	4.56	4.19	4.06	3.76
Do Not Switch On	AP116	666-518	8.75	8.05	7.79	7.21
Blank	AP101	666-520	6.56	6.04	5.84	5.41
Out of Order	AP202	666-531	8.75	8.05	7.79	7.21
Electric Shock Risk	AP206	666-543	8.75	8.05	7.71	7.21
High Voltage	AP208	666-555	8.75	8.05	7.79	7.21

Cable Marking

For Cable Markers see page 1030

Marker Pens

Permanent Marker



An all round permanent marker for all applications and practically all surfaces. Writes on paper, card, metal, glass, porcelain, plastic, polystyrene, rubber, wood, stone, leather and much more.

- Permanent
- Waterproof
- Quick drying
- Low-odour
- Wear resistant ink
- Round tip, stroke width 1.5-3mm

New

517317

Mfrs. List No.	Colour	Order Code	1+	10+
2000C-001	Black	162-4156●	1.75	1.67
2000C-999	Black, Red, Blue & Green	162-4157●	6.70	6.37

Permanent Marker - Round Tip



- Made from recycled material (approx 80% of total plastic used is from recycled material)
- Cap & plug in writing colour
- Barrel design in new "environmental look"
- Round tip, stroke width 1.5-3mm

New

517415

Mfrs. List No.	Colour	Order Code	1+	10+
21-001	Black	162-4162●	1.19	1.12
21-002	Red	162-4163●	1.19	1.12
21-003	Blue	162-4164●	1.19	1.12
21-004	Green	162-4165●	1.19	1.12

Permanent Marker - Chisel Tip



- Made from recycled material (approx 80% of total plastic used is from recycled material)
- Cap & plug in writing colour
- Barrel design in new "environmental look"
- Chisel tip, stroke width 1-5mm

New

517416

Mfrs. List No.	Colour	Order Code	1+	10+
22-001	Black	162-4166●	1.19	1.12
22-002	Red	162-4168●	1.19	1.12
22-003	Blue	162-4169●	1.19	1.12
22-004	Green	162-4170●	1.19	1.12

Over 480,000 products online



Permanent Markers

300, 330 and 390 Series



- Suitable for lettering, marking or drawing on virtually all materials including metal, glass and plastic
- Permanent, smudge proof, quick drying lightfast waterproof ink
- Wallets contain one each of black, red, blue and green

300 - Bullet tip, stroke width 1.5-3mm

390 - Chisel tip, stroke width 4-12mm

330 - Bullet tip, stroke width 1-5mm

386386.410797

Colour	Pack	Mftrs. List No.	Order Code	Price Per Pack	
				1+	10+
300 - Bullet Tip, Width 1.5-3mm					
Black	1	300-001	876-2660	1.05	1.02
Red	1	300-002	876-2678	0.99	0.97
Assorted	Wallet of 4	300/4S	876-2732	3.10	2.98
330 - Bullet Tip, Width 1-5mm					
Black	1	330-001	876-2708	1.05	1.02
Assorted	Wallet of 4	330/4S	876-2740	3.10	2.98
390 - Chisel Tip, Width 4-12mm					
Black	1	390-001	876-2759	2.29	2.20

400 Permanent Markers - 1mm



The 400 permanent markers are ideal for precise writing and marking. Containing quality tested lightfast, water resistant, smudge proof ink, they are perfect for use in all environments.

- Bullet tip, stroke width 1mm
- Ideal for use at low temperatures, even withstands freezing
- Permanent, quick drying, lightfast ink, ideal for use outdoors
- Perfect for lettering on archival files
- Writes on most surfaces including plastic, wood and paper

386353.410798

Colour	Mftrs. List No.	Order Code	Price Each	
			1+	10+
Black	400-001	876-2112	1.19	1.17

Permanent Marker



The all round permanent marker has a large ink reserve for the toughest of jobs over the largest of areas. Writes on virtually all surfaces including wood, stone, paper, card, metal, glass, porcelain, plastic, polystyrene, rubber, leather and much more.

- Permanent
- Waterproof
- Quick drying
- Low-odour
- Wear resistant ink
- Chisel tip, stroke width 5-16mm

517314

Mftrs. List No.	Colour	Order Code	Price Each	
			1+	10+
850-001	Black	162-4154	6.70	6.37

Permanent Marker



The permanent marker has a push button mechanism for convenient one-handed operation and no cap to lose. Great for writing on virtually all surfaces including paper, card, metal, glass, porcelain, plastic, polystyrene, rubber, wood, stone, leather and much more.

- Permanent
- Waterproof
- Quick drying
- Low-odour
- Wear resistant ink
- Round tip, stroke width 1.5-3mm

517312

Mftrs. List No.	Colour	Order Code	Price Each	
			1+	10+
11-001	Black	162-4153	2.58	2.45

8300 Industrial Permanent Markers



- Specialist industrial marker which uses xylene and toluene - These solvents enable permanent marking on greasy or dusty surfaces
- Bullet tip, stroke width 1.5-3mm

386373.410787

Colour	Mftrs. List No.	Order Code	Price Each	
			1+	10+
Black	8300-001	876-2554	1.65	1.61

8030 Specialist Permanent Markers



NLS



The NLS high-tech marker was developed for industrial corrosion-free marking. Complies with aviation standard LN-9051. It contains permanent, low odour ink with a low halogen and chlorine content. It is accepted for use in ship-building, aerospace industries and metal fabrication.



- Bullet tip, stroke width 1.5-3mm

386366.410788

Colour	Mftrs. List No.	Order Code	Price Each	
			1+	10+
Red	8030-002	876-2465	1.40	1.35
Blue	8030-003	876-2473	1.40	1.35

Industrial Paint Markers



751 and 750 Series



8700 Jumbo Paint Marker: 5 - 18mm Stroke Width

Ideal for writing, marking and drawing on almost all materials including metal, rubber, plastic and composites. Available in differing stroke widths they provide an opaque lacquer finish in a wide range of colours including metallic shades.

- Low odour ink that is highly lightfast, smudge proof and heat resistant (withstands temperatures up to 100°C)
- Valve controlled ink flow
- Durable opaque lacquer finish is resistant to many chemicals
- Water resistant and quick drying
- Highly visible on dark and transparent surfaces



Marker Pens - continued

Industrial Paint Markers - continued

751 and 750 Series - continued

751 - Bullet tip, stroke width 1-2mm

750 - Bullet tip, stroke width 2-4mm

386355

Colour	Mfrs. List No.	Order Code	1+	Price Each	10+
751 Series - Bullet Tip, Stroke Width 1-2mm					
Black	751-001	876-2295	3.14	3.00	
Red	751-002	876-2309	3.15	3.04	
Blue	751-003	876-2317	3.15	3.04	
Green	751-004	876-2325	2.59	2.48	
Yellow	751-005	876-2333	3.15	3.04	
Orange	751-006	876-2341	2.59	2.48	
Brown	751-007	876-2350	2.59	2.48	
Violet	751-008	876-2368	2.59	2.48	
Pink	751-009	876-2376	2.59	2.48	
Light Blue	751-010	876-2384	2.59	2.48	
White	751-049	876-2392	2.59	2.48	
Silver	751-054	876-2414	2.59	2.48	
750 Series - Bullet Tip, Stroke Width 2-4mm					
Black	750-001	876-2155	3.15	3.09	
Red	750-002	876-2163	3.15	3.09	
Blue	750-003	876-2171	3.15	3.09	
Green	750-004	876-2180	2.81	2.70	
Yellow	750-005	876-2188	3.15	3.09	
Orange	750-006	876-2201	2.81	2.70	
Brown	750-007	876-2210	2.81	2.70	
Violet	750-008	876-2228	2.81	2.70	
Pink	750-009	876-2236	2.81	2.70	
White	750-049	876-2252	2.95	2.89	
Gold	750-053	876-2260	2.81	2.70	
Silver	750-054	876-2279	2.81	2.70	

8400 CD Markers



- Water based ink
- For fine, permanent lettering on CD-ROMs
- Rub and water resistant once dry
- Bullet tip, stroke width 0.75mm



386411.410738

Colour	Mfrs. List No.	Order Code	1+	Price Each	10+
Black	8400-001	876-2791	1.71	1.68	

8500 CD-RW Marker



Used for **non-permanent** lettering on CD blanks, CDs and CD-ROMs.

- Excellent for labelling re-writeable CD-RW media as the ink **wipes off easily** using a damp cloth
- Quick drying, water based, neutral smell ink
- Bullet tip, stroke width 1mm



386412.410739

Colour	Mfrs. List No.	Order Code	1+	Price Each	10+
Black	8500-001	876-2830	1.80	1.73	

Carpenter Pen



The carpenter pen's extra long fine tip is perfect for precisely marking difficult to reach areas e.g. drill holes. The special ink writes on aluminium, sheet metal, concrete, stone, iron, glass, wood, plastic and much more.

- Permanent
- Waterproof
- Smudge-proof
- Quick drying
- Fine round tip, stroke width 0.7-0.1mm

517272

Mfrs. List No.	Colour	Order Code	1+	Price Each	10+
8850-001	Black	162-4152●	2.58	2.45	

Neon Board Marker



Ideal for writing and marking on dark boards and other smooth surfaces e.g. glass and whiteboards. The ink is dry-wipeable which means that changes are correctable and the colour intensity can be further enhanced by illuminating the board.

- Quick drying
- Low-odour
- Lightfast ink
- Chisel tip, stroke width 2-5mm

517325

Mfrs. List No.	Colour	Order Code	1+	Price Each	10+
725-064	Green	162-4158●	3.71	3.52	
725-065	Yellow	162-4159●	3.71	3.52	

Metal Marker



For permanently writing on and marking almost all surfaces. The 8405 metal marker enables metal to be written on while minimising the risk of corrosion (tested in the aerospace industry by British Aerospace Airbus Ltd as per ABP 9-3323 standard Class A). It is also resistant to many solvents and paints.

- Permanent
- Waterproof
- Smudge-proof
- Solvent resistant
- Low corrosion ink
- Fine round tip, stroke width 0.75mm

517418

Mfrs. List No.	Colour	Order Code	1+	Price Each	10+
8405-001	Black	162-4160●	3.09	2.94	

Universal Oil Marker



Ideal for lubricating, removing rust and label/adhesive tape residue, cleaning objects with surface rust, congealed fats and oils as well as tar marks. In addition, it offers protection against moisture and rust and can be used to maintain locking mechanisms.

- Transparent
- Low-odour
- Lubricative and cleaning
- Chisel tip, stroke width 4mm

517417

Mfrs. List No.	Order Code	1+	Price Each	10+
8160-000	162-4161●	4.12	3.91	

8010 X-Ray Marker



The Radiograph marker is especially for writing and marking on X-ray films. Perfect for use in hospitals, dentists, doctors and veterinary surgeries.

- Permanent, low odour ink
- Fine metal-framed tip, stroke width 0.8mm

386380.410736

Colour	Mfrs. List No.	Order Code	1+	Price Each	10+
White	8010-049	876-2627	2.95	2.83	

8040 Laundry Marker



- Excellent for safely marking on textiles for easy identification
- Permanent ink is low odour, water and boil-proof and ideal for use in laundries, schools, hospitals and at home
- Bullet tip, stroke width 1mm
- Available in black only

386375.410745

Colour	Mftrs. List No.	Order Code	1+	Price Each	10+
Black	8040-001	876-2589	2.00		1.95

8050 Tyre Marker



- Permanent, low odour ink especially for marking on tyres and rubber surfaces
- Opaque lacquer finish
- Waterproof and lightfast
- Bullet tip, stroke width 2-4mm

386369.410749

Colour	Mftrs. List No.	Order Code	1+	Price Each	10+
White	8050-049	876-2538	3.55		3.48

8200 Tile Grout Marker



- For use in kitchens, bathrooms and other tiled areas for improving the whiteness of grout
- Contains a special fungicide to prevent mould re-growth
- Permanent, water resistant ink
- Bullet tip, stroke width 2-4mm

386381.410747

Colour	Mftrs. List No.	Order Code	1+	Price Each	10+
White	8200-049	876-2635	2.95		2.89

8404 Aerospace Marker



Specially developed at the request of the aerospace industry. Quality tested and approved to Bae ABP-9-3323 Class A. Contains low corrosion ink for precision engineering. Useful for producing fine lettering in any industrial environment.

- Lightfast, smudgeproof and water resistant ink with no xylene or toluene added
- Resistant to many solvents including acids, alcohols and varnishes
- Ideal for writing on components and circuitry - Also for labelling chemical bottles and laboratory equipment
- Fine bullet tip, stroke width 0.75mm

386377.410746

Colour	Mftrs. List No.	Order Code	1+	Price Each	10+
Black	8404-001	876-2597	1.90		1.85

950 Specialist Paste Marker



Ideal for marking on rough surfaces, unclean materials and rusty metals. It contains a highly permanent coloured paste which is lightfast, smudge proof and water resistant after drying.



- Bullet tip, stroke width 10mm

386368.410789

Colour	Mftrs. List No.	Order Code	1+	Price Each	10+
Black	950-001	876-2481	3.99		3.91
Red	950-002	876-2490	3.99		3.91
Blue	950-003	876-2503	3.99		3.91
Yellow	950-005	876-2511	3.99		3.91
White	950-049	876-2520	4.05		3.97

Disposable Etching Pen

LINEAR TOOLS



- Suitable for etching codes, sizes and identification references
- For use on all steel and copper surfaces
- Ideal for identification of workshop tools, instruments and machines

221207

Mftrs. List No.	Order Code	1+	3+	Price Each	6+	12+
52-730-005	715-8543	16.71	14.99		13.50	12.46

8280 UV Security Marker



- Suitable for marking on valuables for security purposes
- Contains special UV sensitive ink that shows up under ultra-violet light
- Bullet tip, stroke width 1.5-3mm



386371.410728

Mftrs. List No.	Order Code	1+	Price Each	10+
8280	876-2546	2.32		2.23

Troubleshooting tips



Chat live online to one of our technical engineers at www.farnell.co.uk

Over 480,000 products online





5 great reasons to register online

- 1 Even more choice with over 480,000 products
- 2 700 new products added online every week
- 3 Search from over 352,000 technical datasheets
- 4 Latest pricing and exclusive promotions
- 5 Plus, advanced technical & legislation advice

Register today
www.farnell.com

